

PRODUCT CATALOG

YOUR SOURCE FOR BALER BELTS AND ANSWERS



CONTENTS

FEATURED PRODUCTS

COBRAFLEX™ BALER BELT P121	4
COBRAFLEX™ BALER BELT P521	5
COBRAFLEX™ BALER BELT P310	6
COBRAFLEX™ HD BALER BELT P515	6
AG BELT™ SPLICELESS™ BALER BELT	7
BALER BELT REPAIR PRODUCTS GUIDE	8

BELT PRODUCTS

BALER BELTS BY MAKE & MODEL	10
BULK BALER BELT ROLLS	33
BELT REPAIR SECTIONS	34
STARTER FLAPS	35
PLATFORM BELT ASSEMBLIES	36
NET WRAP BELTS	37
COTTON HARVESTING	38
BALE THROWER BELTS	40
TUBE CONVEYOR BELTING	41
AG-BAG SILAGE BAGGER BELTS	42
TUB GRINDER BELTS	43
COMBINE PICKUP BELTS	46
PICKUP TEETH & HARDWARE	47
GENERAL AG BELTING	48

FASTENER SYSTEMS & MAINTENANCE

CLIPPER® WIRE HOOKS	54
CLIPPER® ROUND WIRE HOOKS	55
CLIPPER® RECTANGULAR WIRE HOOKS	56
CLIPPER® HOOK SELECTION GUIDE	57
CLIPPER® PINS AND SMART LOCK™	59
CLIPPER® INSTALLATION TOOLS	60
ALLIGATOR® RIVET FASTENERS	61
ALLIGATOR® FASTENERS	62
ALLIGATOR® TOOLS	63
ALLIGATOR® TOOL KITS	64
MATO U20/H20 FASTENERS	65
MATO FASTENERS	66
MATO CONNECTING PINS	67
MATO PNEUMATIC HAMMER & PUNCHES	68
MATO INSTALLATION TOOLS	69
MATO LACING KITS	70
ALLIGATOR® STAPLE FASTENERS	71
ALLIGATOR® STAPLE FASTENER INSTALLATION TOOLS	72
MATO EASYCLIP SYSTEM	73

BELT CUTTERS

COBRACUT™ BALER BELT CUTTERS	72
CLIPPER® 14" BELT CUTTER	73
MATO TGS 300 PORTABLE BELT CUTTER	73
FLEXCO® BALER BELT SKIVER	74
MATO BELT SKIVER & CHAMFER	75
ROUGHTOP BELT SKIVER	76
BELT EDGE CHAMFER TOOL 25	76
BELT GRINDER	76
BELT NIPPER	76

ACCESSORIES

GATHERING WHEELS	78
RUBBER MOUNTED TEETH	80

AG Belt™, CobraFlex™, CobraCut™, CobraPro™, FastStart™ and GripSurface™ Covers are trademarks of Apache Agricultural Group
Flexco®, Clipper®, Alligator®, Mircolacer®, Duralink™, DuraStainless™, Ready Set™, PinPak™, Smart Locks™ and Baler Belt Lacer™ are trademarks of the Flexible Steel Lacing Company. Mato® is a trademark of Mato GmbH & Co. KG. Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. Vermeer logo used with permission.

COBRAFLEX™ BALER BELT P121

CobraFlex Diamond Top belts are an excellent replacement for any baler requiring the diamond tread profile. The CobraFlex Diamond Top features the most aggressive profile style available and is an ideal replacement for many John Deere and AGCO round hay balers. This belt features a “glass” smooth bottom cover that is perfectly suited to newer John Deere balers that have a “drop and go” system.



P121 Replaces OEM Part# (Superseded Part Numbers)	Belt Dimensions (In)	Belt Description	Fits Models	AG Belt Part# Mato Laced	AG Belt Part# Clipper Laced
AFH215157 (AE53286, DC22173)	7 X 402.75	SHORT	330, 335, 375, 440, 446, 447,	21001790-MATO	21001790
AFH215159 (AE53287, DC22174)	7 X 410.25	LONG	448, 449, 546, 547, 572, 842	21001800-MATO	21001800
AE74209 (AE53288, AE52285)	7 X 460	SHORT	385, 450, 456, 457, 458, 459,	21001861-MATO	21001861
AE74210 (AE53289, AE52286)	7 X 465	LONG	550, 556, 557, 558, 559	21001862-MATO	21001862
AE74177 (AE40797, AE52287, AE53295)	7 X 524	SHORT	430, 435, 460, 466, 467, 468,	21351470-MATO	21351470
AE74178 (AE40798, AE52288, AE53296)	7 X 529	LONG	469, 530, 535, 560, 566, 567,	21351475-MATO	21351475
AFH202039	7 X 360'	PER FOOT	5, 6, 7, 8, 9, & 0 Series	20029165-7 (No Lace)	

COBRAFLEX™ BALER BELT P521


The CobraFlex HD baler belt is modified from our CobraFlex belts to provide heavy-duty performance. The HD carcass features increased puncture and tear resistance to better withstand the rigors of baling tough crop such as cornstalks. The P521 version also features a smooth bottom cover and is an ideal replacement for newer John Deere models.



P521 Replaces OEM Part#	Belt Dimensions (In)	Belt Description	Fits Models	AG Belt Part# Mato Laced
AFH212598/AE74209	7 X 460	SHORT	459 Silage Special, 459 Silage Special	21351440-MATO
AFH212599/AE74210	7 X 465	LONG		21351441-MATO
AFH210848/AE74177	7 X 524	SHORT	469 Premium, 569 Premium, 569 Silage Special	21351460-MATO
AFH210849/AE74178	7 X 529	LONG		21351465-MATO
AFH202039	7 X 360'	PER FOOT	5, 6, 7, 8, 9, and 0 Series	20029165-7 (No Lace)

COBRALEX™ BALER BELT P310

The FastStart™ Mini Roughtop profile is more aggressive and abrasion resistant than standard MRT profiles and has an all-purpose cover pattern that offers quick and consistent bale starting. It provides superior performance for many types of round hay balers including Vermeer and New Holland. CobraFlex belts are made with proven 3-ply technology for superior strength and fastener retention.



P310					
P310 Replaces OEM Part# (Superseded Part Numbers)	Belt Dimensions (in)		Fastener Type	Fits Models	AG Belt Part#
86625675 (86639068)	7	X 272.5	Clipper®	630, 634, 638, BR730, BR7050	21001774
86635463	7	X 343	Clipper®	640, 644, 648, 678, BR740, BR740A, BR770, BR7060, BR7080, RB450 Utility, RB450, RB550	21001777
86642412 (86641583)	7	X 420.5	Clipper®	650, 654, 658, 660, 664, 688, BR750, BR780, BR7070, BR7090, RB460, RB560	21001804
47938488	7	X 343	Mato®	RB450, RB550	21001777-MATO
47938486	7	X 420.5	Mato®	RB460, RB560	21001804-MATO

P515					
P310 Replaces OEM Part#	Belt Dimensions (in)		Fastener Type	Fits Models	AG Belt Part#
47938488	7	X 343	Mato®	RB450, RB550	21002579-MATO
47938486	7	X 420.5	Mato®	RB460, RB560	21002578-MATO

COBRALEX™ HD BALER BELT P515

The CobraFlex HD baler belt is modified from our CobraFlex belts to provide heavy-duty performance. The HD carcass features increased puncture and tear resistance to better withstand the rigors of baling tough crop such as cornstalks. The P515 also features our FastStart™ MRT pattern for faster bale starts.



AG BELT™ SPLICELESS™ BALER BELT

We've expanded our lineup of Spliceless baler belts to include a variety of baler makes and models. Our Spliceless baler belt is an AE50 award-winner for agricultural innovation by the American Society of Agricultural and Biological Engineers (ASABE).

Patented Endless Design

- No-splice design
- Patented carcass construction
- RMA Grade 1 rubber with sealed edges

Benefits

- Elimination of the number one failure point in traditional endless belts
- Improved longitudinal flexibility and transverse stiffness
- Improved trackability on crowned rollers
- Improved puncture and tear resistance
- Elimination of edge fray and prevention of carcass contaminations
- Improved cover and carcass durability



Belt Dimensions (in)		Belt Description	Belt Code	Fits Makes and Models	AG Belt Part#
7	X 343	Mini Roughtop	E310	New Holland BR740, BR7050, BR770, BR 7080, Roll-Belt 450, Roll-Belt 550	21003668
7	X 420.5	Mini Roughtop	E310	Case RB465, RB565; New Holland BR750, BR7070, BR780, BR7090, Roll-Belt 460, Roll-Belt 560	21003669
8.46	X 443	GripSurface™	E360	Claas 260	21003661
8.46	X 499	GripSurface™	E360	Claas 280	21003662
8.5	X 419	GripSurface™	E360	Kuhn 2160, 2255, 2260, 2265	52101501
8.5	X 470.25	GripSurface™	E360	Kuhn 2190, 2285, 2290, 2295	52101502
8.66	X 408	GripSurface™	E360	Kubota BV5160	21003501
8.66	X 433	GripSurface™	E360	Kubota BV4160	21003666
8.66	X 455	GripSurface™	E360	Kubota BV4180	21003667
8.66	X 485	GripSurface™	E360	Kubota BV5200	21003500
10.8	X 443	GripSurface™	E360	Claas 360, 365	21003663
10.8	X 499	GripSurface™	E360	Claas 380, 385	21003664
11.2	X 433.1	GripSurface™	E360	Vermeer 504 Pro	21003660
11.2	x 472.4	GripSurface™	E360	Vermeer 604 Pro	21003670
15	X 459.8	GripSurface™	E360	McHale V640, V660	21003665

We've expanded our lineup of Spliceless baler belts to include a variety of baler makes and models.

THE RIGHT TOOLS TO DO THE JOB RIGHT

MART-7 - 7" (175 mm) Multiple Rivet Tool

Install Alligator® Rivet fasteners professionally and efficiently with the Multiple Alligator Rivet Tool. Includes basic installation tool, multi-rivet guide block, hand punch, and pneumatic punch.

Find more Alligator installation tools and replacement parts on page 61



PAGE 61

Profi Installation Unit H24 180/7"

Use the supplied hand punch or the Mato pneumatic hammer punch (sold separately) to install Mato fasteners with professional results.

Find more Mato H20 installation options on page 65



PAGE 65

CobraCut™ Baler Belt Cutter

Cut baler belt squarely and with ease.

Find more belt cutting options on pages 72 and 73
See tinyurl.com/cobracutbalerbeltcutter for user guide and video.



PAGE 72

Mato Belt Skiver 25R

The Mato Skiver 25R is the best tool on the market for skiving diamond top belts consistently and safely.

Find more belt skiving options on pages 74 through 76



PAGE 75

Mato Belt Edge Chamfer Tool 25

The Camfer Tool accurately notches the corners of the belt using guidelines.

Find more belt skiving options on page 76



PAGE 76

BELT PRODUCTS

Look up baler belts by make and model to find the right replacement belts for your customers' equipment. Choosing the OEM equivalent will give your customers the best experience with their balers. AG Belt has been a proud supplier of belting to baler dealers for many years and we understand the importance of quality, original equipment parts.

BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
ALLIS-CHALMERS									
ROTO-BALER									
Top	6	5.5	X	72	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001500
Bottom	6	5.5	X	102	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001520
BADGER									
614									
	8	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
614 (W/ WIDE BELT KIT)									
	4	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
	2	9	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001870
615									
	9	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
615 (W/ WIDE BELT KIT)									
	5	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
	2	10	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002140
BUHLER INLAND									
6060									
	25	11.25	X	64.5	3-Ply GripSurface™ Covers	CobraFlex™	P360	#4-1/2-4 RHTX Clipper®	21002382
	5	11.25	X	96.75	3-Ply GripSurface™ Covers	CobraFlex™	P360	#4-1/2-4 RHTX Clipper®	21002383
6072									
	25	11.25	X	73.25	3-Ply GripSurface™ Covers	CobraFlex™	P360	#4-1/2-4 RHTX Clipper®	21002384
	5	11.25	X	111.5	3-Ply GripSurface™ Covers	CobraFlex™	P360	#4-1/2-4 RHTX Clipper®	21002385
CASE-IH									
241, 2400									
	9	4	X	430	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001145
Platform Belt	1	60	X	120	2-Ply Bottom Cover No V-Guide	AG Belt™	BC2	#3 Round HT Clipper	21002490-CLP
		60	X	120	2-Ply Bottom Cover No V-Guide	AG Belt™	BC2	Alligator® RS125	21002490-RS125
2400 (W/ WIDE BELT KIT)									
	5	4	X	430	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001145
	2	10	X	430	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002065
2400 (W/ DUAL SPRINGS)									
	9	4	X	424	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001140
2400 (W/ DUAL SPRINGS & WIDE BELT KIT)									
	5	4	X	424	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001140
	2	10	X	424	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002060
3440									
Top	12	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
Bottom	4	11	X	103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341
3450 (OLDER MODEL)									
Top	30	4.75	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
Bottom	5	11	X	103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		4.75	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X	103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
CASE-IH (CONTINUED)									
3450 (NEWER MODEL)									
Top Bottom	15	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X	103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341
3640 (OLDER MODEL)									
Top Bottom	55	4.75	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
	4	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		4.75	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
3640 (NEWER MODEL)									
Top Bottom	20	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	4	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
3650 (OLDER MODEL)									
Top Bottom	55	4.75	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		4.75	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
3650 (NEWER MODEL), 8480									
Top Bottom	25	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
8420									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
8430									
	6	7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001780
		7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ
8435									
	6	7	X	471.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001808
		7	X	471.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001808-ARJ
8440									
	9	4	X	452	3-Ply Continuous Chevron	CobraFlex™	P110	#3-4-1/2 Round Clipper®	21001230
8450									
	4	7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001830
	2	6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001751
		7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001830-ARJ
		6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001751-ARJ
8455									
	6	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2 RHTX Clipper	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
CASE-IH (CONTINUED)									
8460 (OLDER MODEL)									
	6	7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001830
	2	6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001751
		7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001830-ARJ
		6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001751-ARJ
8460 (NEWER MODEL), 8465									
	8	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
RS 451									
	6	7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
RS 551									
	8	7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
RS 561									
	8	7	X	547	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002595-ARJ
RB444, RBX441, RBX442, RBX443									
	6	7	X	272.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001773
		7	X	272.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001774
RB454, RBX451, RBX452, RBX453									
	6	7	X	343	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001776
		7	X	343	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001776-ARJ
RB455A UTILITY									
	5	7	X	343	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001776
		7	X	343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
RB455									
	6	7	X	343	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002579-MATO
		7	X	343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-14	21001777-MATO
RBX552, RBX553									
	8	7	X	343	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001776
		7	X	343	3-Ply Continuous Chevron	CobraFlex™	P110	Mato H/U24BS-14	21001776-MATO
RB464, RBX461, RBX462, RBX463									
	6	7	X	420.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001803
		7	X	420.5	3-Ply Continuous Chevron	CobraFlex™	P110	Mato H/U24BS-14	21001803-MATO
RB554, RB564, RBX561, RBX562, RBX563									
	8	7	X	420.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001803
		7	X	420.5	3-Ply Continuous Chevron	CobraFlex™	P110	Mato H/U24BS-14	21001803-MATO
RB465									
	6	7	X	420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X	420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002578-MATO
		7	X	420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811
RB565									
	8	7	X	420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X	420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002578-MATO
		7	X	420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
CHALLENGER									
RB34									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
RB44									
	5	7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001780
		7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ
RB45									
	6	7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
		7	X	475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
RB46, RB46B									
	6	7	X	547	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002595-ARJ
		7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
RB46C, RB46CA, 2946, 2946A									
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
	2	7	X	563.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002934
RB452									
	4	7	X	481.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002605-ARJ
	2	7	X	486.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002610-ARJ
RB453									
	4	7	X	475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
	2	7	X	483	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002915
RB462									
	4	7	X	571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	2	7	X	578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940
RB463									
	4	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	2	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
RB463A									
	6	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
RB56									
	8	7	X	547	3-Ply Continuous Chevron	AG Belt™	P110	Mato H/U24BS-14	21002595-MATO
		7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
RB56C, RB56CA, 2956, 2956A									
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
	4	7	X	563.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002934
RB562									
	4	7	X	571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	4	7	X	578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940
RB563									
	4	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
RB563A									
	8	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
CLAAS									
ROLLAUT 180 RC/RF									
	5	8.66	X	499	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21002694-MATO
VARIANT 260 RC/RF									
	5	8.46	X	443	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003661*
		8.46	X	443	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21002679-MATO
VARIANT 280 RC/RF									
	5	8.46	X	499	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003662*
		8.46	X	499	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21002669-MATO
VARIANT 360 RC/RF, 365 RC/RF									
	4	10.8	X	443	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003663*
		10.8	X	443	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato H/U24BS-23	21003512
VARIANT 380 RC/RF, 385 RC/RF									
	4	10.8	X	499	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003664*
		10.8	X	499	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato H/U24BS-23	21003513

GEHL									
1370, 1375, 1475									
	6	6	X	469	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21002770
		6	X	469	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001582
1400									
	2	6	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001560
	3	5	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001460
Older Model 1400 Platform Belt	1	44.25	X	69.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002450-CLP
		44.25	X	69.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125	21002450-RS125
Newer Model 1400 Platform Belt	1	44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125	21002440-RS125
1450, 1460									
Platform Belt	5	6	X	462.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001580
	1	44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002440-RS125
1465, 1470 (OLDER MODEL)									
1465 Platform Belt	6	6	X	462.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002750
		6	X	462.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001580
	1	44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002440-RS125
1470 (NEWER MODEL)									
	6	6	X	462.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001580
		6	X	462.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001588
1500									
	9	4	X	466	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001280
1500 (W/ WIDE BELT KIT)									
	5	4	X	466	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001280
	2	10	X	466	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002200

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
GEHL (CONTINUED)									
1500A, 1600									
	6	6	X	466	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001600
Platform Belt	1	60	X	96	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002475-CLP
		60	X	96	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002475-RS125
1850, 1860									
	7	6	X	545.25	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001620
Platform Belt	1	60	X	56.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002460-CLP
		60	X	56.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002460-RS125
1865, 1870 (OLDER MODEL)									
	8	6	X	545.25	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001623
		6	X	545.25	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001620
1870 (NEWER MODEL)									
	8	6	X	545.25	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21002772
		6	X	545.25	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001623
1875									
	8	6	X	552	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001624
		6	X	552	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002761
2480 STANDARD									
	6	6	X	468.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002756
		6	X	468.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21002765
2580 DELUXE, 2580 SILAGE SPECIAL									
	2	6.5	X	502.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002625-ARJ
	4	6.5	X	474.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002620-ARJ
2680 DELUXE, 2680 SILAGE SPECIAL									
	2	6.5	X	556.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002630-ARJ
	4	6.5	X	577.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002635-ARJ
2780 STANDARD									
	8	6	X	468.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002756
2880 DELUXE									
	4	6.5	X	556.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002630-ARJ
	4	6.5	X	577.5	3-Ply Continuous Chevron	AG Belt™	P110	Alligator® Rivet	21002635-ARJ

HESSTON									
514, 814									
Top Bottom	25	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
530, 730, 830									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
540, 740, 840									
	6	7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001780
		7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
HESSTON (CONTINUED)									
545									
	6	7	X	471.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001808
		7	X	471.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001808-ARJ
550									
	4	7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001830
	2	6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001751
		7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001830-ARJ
		6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001751-ARJ
555									
	6	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
560 (S/N 0220 - 1964)									
	6	7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001830
	2	6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001751
		7	X	570	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001830-ARJ
		6.5	X	572.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001751-ARJ
560 (S/N 1965 & ABOVE), 565									
	8	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
745 (S/N HM89101 - HP89100)									
	4	7	X	475.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002560-ARJ
	2	7	X	478.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002565-ARJ
745 (S/N HP89101 & ABOVE), 1745, 5145									
	4	7	X	481.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002605-ARJ
	2	7	X	486.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002610-ARJ
845, 945									
	6	7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
		7	X	475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
846A, 946, 5446A, 5546A									
	6	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
		7	X	547	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002595-ARJ
855, 955									
	8	7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
		7	X	475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
856, 856A, 956, 956A									
	8	7	X	547	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002595-ARJ
		7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
1734, 5134									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
1745, 5145									
	4	7	X	481.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002605-ARJ
	2	7	X	486.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002610-ARJ
1746, 5146									
	4	7	X	571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	2	7	X	578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
HESSTON (CONTINUED)									
1756, 5156									
	4	7	X	571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	4	7	X	578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940
2745									
	4	7	X	475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
	2	7	X	483	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002915
2746									
	4	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	2	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
5446A, 5546A									
	6	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
5456A, 5556A									
	8	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
5500									
	9	4	X	452	3-Ply Continuous Chevron	CobraFlex™	P110	#3-4-1/2 Round Clipper®	21001230
5510									
	9	4	X	452	3-Ply Continuous Chevron	CobraFlex™	P110	#3-4-1/2 Round Clipper®	21001230
5530									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
5540									
	6	5.3	X	470	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001481
		5.3	X	470	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001480
5545									
	6	5.3	X	465	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001473
		5.3	X	465	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001470
5546									
	4	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	2	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
5556									
	4	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
5580									
	8	5.3	X	470	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001481
		5.3	X	470	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001480
5585									
	8	5.3	X	465	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001473
		5.3	X	465	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001470
5600									
Platform Belt	9	4	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001070
	1	60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002480-CLP
		60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)		Belt Type	Belt Brand	Belt Code	Fasteners	Part#	
HESSTON (CONTINUED)									
5600 (W/ WIDE BELT KIT)									
Platform Belt	5	4	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001070
	2	10	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001990
	1	60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002480-CLP
		60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
5800									
	9	4	X	480	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001286
5800 (W/ WIDE BELT KIT)									
	5	4	X	480	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001286
	2	10	X	480	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002225
5820									
	6	7	X	272.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001774
5850									
	6	7	X	343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
JOHN DEERE									
330, 335, 446, 447, 448, 449, 572, 842									
	2	7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	Mato H/U24BS-14	21001790-MATO
	4	7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	Mato H/U24BS-14	21001800-MATO
		7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001790
		7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001800
		7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001790-ARJ
		7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001800-ARJ
375, 546, 547									
	4	7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	Mato H/U24BS-14	21001790-MATO
	4	7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	Mato H/U24BS-14	21001800-MATO
		7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001790
		7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001800
		7	X	402.75	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001790-ARJ
		7	X	410.25	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001800-ARJ
385, 450, 456, 457, 458, 459, 582, 852									
	2	7	X	460	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21001861-MATO
	4	7	X	465	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21001862-MATO
		7	X	460	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351440-MATO
		7	X	465	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351441-MATO
		7	X	460	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001861
		7	X	465	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21001862
		7	X	460	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001861-ARJ
		7	X	465	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001862-ARJ
		7	X	460	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351440-ARJ
		7	X	465	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351441-ARJ
410									
	6	4	X	415	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001100
Bottom Belts	5	8	X	74	3-Ply Impression Covers	AG Belt™	TEB	Truly Endless Belt	52101500
		8	X	74	3-Ply Impression Covers	CobraFlex™	P345	Mato H/U24BS-16	21001841

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
JOHN DEERE (CONTINUED)									
410 (W/ WIDE BELT KIT)									
12" wide option	2	4	X	415	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001100
	2	10	X	415	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002020
		12	X	417.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002400
Bottom Belts	5	8	X	74	3-Ply Impression Covers	AG Belt™	TEB	Truly Endless Belt	52101500
		8	X	74	3-Ply Impression Covers	CobraFlex™	P345	Mato H/U24BS-16	21001841
430, 435, 460, 466, 467, 468, 469, 592, 862									
	2	7	X	524	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21351470-MATO
	4	7	X	529	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21351475-MATO
		7	X	524	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351460-MATO
		7	X	529	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351465-MATO
		7	X	524	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21351470
		7	X	529	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21351475
	7	X	524	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21351470-ARJ	
	7	X	529	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21351475-ARJ	
	7	X	524	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351460-ARJ	
	7	X	529	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351465-ARJ	
500									
	9	4	X	422	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001120
500 (W/ WIDE BELT KIT)									
	5	4	X	422	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001120
	2	10	X	422	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002040
Platform Belt	1	60	x	138	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002500-CLP
		60	x	138	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125	21002500-RS125
510									
	9	4	X	484	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001310
510 (W/ WIDE BELT KIT)									
	5	4	X	484	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001310
	2	10	X	484	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002240
12" wide option		12	X	486.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002425
Bottom Belts	7	8	X	74	3-Ply Impression Covers	AG Belt™	TEB	Truly Endless Belt	52101500
		8	X	74	3-Ply Impression Covers	CobraFlex™	P345	Mato H/U24BS-16	21001841
550, 556, 557, 558, 559									
	4	7	X	460	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21001861-MATO
	4	7	X	465	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21001862-MATO
		7	X	460	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351440-MATO
		7	X	465	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351441-MATO

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
JOHN DEERE (CONTINUED)									
530, 535, 560, 566, 567, 568, 569									
	4	7	X	524	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21351470-MATO
	4	7	X	529	3-Ply Diamond Top	CobraFlex™	P121	Mato® H/U24BS-14	21351475-MATO
		7	X	524	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351460-MATO
		7	X	529	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Mato® H/U24BS-14	21351465-MATO
		7	X	524	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21351470
		7	X	529	3-Ply Diamond Top	CobraFlex™	P121	#4-1/2-4 RHTX Clipper®	21351475
		7	X	524	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21351470-ARJ
		7	X	529	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21351475-ARJ
	7	X	524	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351460-ARJ	
	7	X	529	3-Ply Heavy-Duty Diamond Top	CobraFlex™ HD	P521	Alligator® Rivet	21351465-ARJ	
KUBOTA									
BV4160									
	5	8.66	X	433	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21003509
		8.66	X	433	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003666*
BV4180									
	5	8.66	X	455	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21003510
		8.66	X	455	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003667*
BV5160									
	5	8.66	X	408	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003501*
		8.66	X	408	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21003511
BV5200									
	5	8.66	X	485	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003500*
		8.66	X	485	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato® H/U24BS-17	21003508
BV4580									
	8	7	X	455	3-Ply Heavy-Duty MRT	CobraFlex™ HD	P515	Mato® H/U24BS-14	21003522
		7	X	455	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21003521
KUHN									
VB 2160, VBP 2160, VB 2255, VB 2260, VB 2265, VBP 2265									
	5	8.5	X	419	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	52101501
		8.5	X	419	3-Ply GripSurface™ Covers	AG Belt™	P360	Mato® H/U24BS-17	21003530
VB 2190, VB 2285, VB 2290, VB 2295									
	5	8.5	X	470.25	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	52101502
		8.5	X	470.25	3-Ply GripSurface™ Covers	AG Belt™	P360	Mato® H/U24BS-17	21003531
LONG									
7345									
	6	5.3	X	470	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001481

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
MASSEY FERGUSON									
140									
	5	4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X	364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
142									
	6	7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001780
		7	X	366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ
144									
	6	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
146									
	8	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
450									
	8	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
450 (W/ WIDE BELT KIT)									
	4	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
	2	9	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001870
560									
	9	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
560 (W/ WIDE BELT KIT)									
	5	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
	2	10	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002140
634									
	4	6	X	428	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001540
645									
	6	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740
656									
	8	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740
822									
Front Rear	6	6.3	X	187.8	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001640-MATO
	6	6.3	X	226.8	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001680-MATO
		6.3	X	187.8	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001640
		6.3	X	226.8	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001680
825									
	6	6	X	463	3-Ply Continuous Chevron	AG Belt™	P110	#4-1/2-4 RHTX Clipper®	21001588
		6	X	463	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001586
828									
Front Rear	6	6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001660-MATO
	6	6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001700-MATO
		6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001660
		6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001700
834									
Front Rear	8	6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001660-MATO
	8	6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21001700-MATO
		6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001660
		6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001700

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)		Belt Type	Belt Brand	Belt Code	Fasteners	Part#
MASSEY FERGUSON (CONTINUED)								
835								
	8	6	X 545.25	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21002772
		6	X 545.25	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001623
1440, 1450,1455								
	8	4	X 436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001180
1440, 1450, 1455 (W/ 9" WIDE BELT KIT)								
	4	4	X 436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001180
	2	9	X 436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001910
10" wide option		10	X 436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002120
1550, 1560, 1565								
	6	4	X 512	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001350
	2	10	X 513	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002285
9" wide option		9	X 513	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001955
1734								
	5	4.8	X 364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
		4.8	X 364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
1744								
	6	7	X 366	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21001779-ARJ
		7	X 366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ
1745 (S/N HM89101-HP89100)								
	4	7	X 475.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002560-ARJ
	2	7	X 478.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002565-ARJ
1745 (S/N HP89101 & ABOVE)								
	4	7	X 481.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002605-ARJ
	2	7	X 486.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002610-ARJ
1746								
	4	7	X 571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	2	7	X 578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940
1756								
	4	7	X 571	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002935
	4	7	X 578	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002940
2646A								
	6	7	X 547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
2656A								
	8	7	X 547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
2745								
	4	7	X 475	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002600-ARJ
	2	7	X 483	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002915
2746								
	4	7	X 547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	2	7	X 554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
2746A								
	6	7	X 547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
2756								
	4	7	X 547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
	4	7	X 554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
MASSEY FERGUSON (CONTINUED)									
2756A									
	8	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
2846, 2846A, 2946, 2946A									
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
	2	7	X	563.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002934
2856, 2856A, 2956, 2956A									
	4	7	X	554.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002930
	4	7	X	563.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002934
MCHALE									
V640, V660									
	3	15	X	459.8	GripSurface™ Covers SLB	Spliceless™	E360	Truly Endless Belt	21003665*
		15	X	459.8	3-Ply GripSurface™ Covers	AG Belt™	P360	Mato® H/U24BS-32	21003516
MCKEE									
875, 878 (OLDER MODEL)									
Top	45	4.75	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001390
Bottom	6	7	X	104.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001770
875, 878 (NEWER MODEL)									
Top	30	7	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001754
Bottom	6	7	X	104.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001770
1500, 1578									
Top	55	4.75	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
Bottom	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		4.75	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
NEW HOLLAND/FORD									
551									
Outside	2	6	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001560
Inside	3	5	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001460
Older Model Platform Belt	1	44.25	X	69.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002450-CLP
		44.25	X	69.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002450-RS125
Newer Model Platform Belt	1	44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002440-RS125
552									
Platform Belt	6	6	X	466	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001600
	1	60	X	96	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002475-CLP
		60	X	96	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002475-RS125

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)		Belt Type	Belt Brand	Belt Code	Fasteners	Part#
NEW HOLLAND								
630, 634, 638, BR730, BR7050								
	6	7	X 272.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001774
640, 644, 648, BR740, BR740A, BR7060								
	6	7	X 343	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003668*
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001777-MATO
678, BR770, BR7080								
	8	7	X 343	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003668*
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001777-MATO
650, 654, 658, BR750, BR7070								
	6	7	X 420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001804
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811
660, 664, 688, BR780, BR7090								
	8	7	X 420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001804
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811
ROLL-BELT™ 450 UTILITY								
	5	7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
ROLL-BELT™ 450								
	6	7	X 343	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003668*
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001777
ROLL-BELT™ 460								
	6	7	X 420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X 420.5	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002578-MATO
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811
ROLL-BELT™ 550								
	8	7	X 343	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003668*
		7	X 343	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002579-MATO
		7	X 343	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001777-MATO
ROLL-BELT™ 560								
	8	7	X 420.5	Mini Roughtop	Spliceless™	E310	Truly Endless Belt	21003669*
		7	X 420.5	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Mato® H/U24BS-14	21002578-MATO
		7	X 420.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato® H/U24BS-14	21001811
NEW IDEA								
483, 4844								
Top	12	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
Bottom	4	11	X 103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)		Belt Type	Belt Brand	Belt Code	Fasteners	Part#
NEW IDEA (CONTINUED)								
484 (OLDER MODEL)								
Top Bottom	30	4.75	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
	5	11	X 103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		4.75	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X 103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341
484, 4845 (NEWER MODEL)								
Top Bottom	15	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X 103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341
485								
Top Bottom	20	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	4	11	X 121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
485, 4855								
Top Bottom	20	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	4	11	X 121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
4855								
Top Bottom	20	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X 103.5	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100955
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 103.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002341
456, 486, 4865 (OLDER MODELS)								
Top Bottom	55	4.75	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
	5	11	X 121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		4.75	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001425
		11	X 121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
456, 486, 4865 (NEWER MODEL)								
Top Bottom	25	11	X 73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X 121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X 73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X 121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
4643, 6243, 6343								
	5	4.8	X 364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001442
		4.8	X 364	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002900
4644, 6244, 6344								
	6	7	X 366	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001780
		7	X 366	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001780-ARJ
4664								
	6	7	X 562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X 562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part #
NEW IDEA (CONTINUED)									
4665									
	8	7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	#4-1/2-4 RHTX Clipper®	21001826
		7	X	562.5	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21001826-ARJ
6254 (S/N HM89101-HP891000)									
	4	7	X	475.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002560-ARJ
	2	7	X	478.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002565-ARJ
6254 (S/N HP891001-ABOVE)									
	4	7	X	481.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002605-ARJ
	2	7	X	486.5	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21002610-ARJ
6345, 6454									
	6	7	X	475	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002580-ARJ
		7	X	475	3-Ply Continuous Chevron	CobraFlex™	P110	Alligator® Rivet	21002590-ARJ
6364, 6464									
	6	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
6365, 6465									
	8	7	X	547	3-Ply Diamond Top	CobraFlex™	P121	Alligator® Rivet	21001824-ARJ
RENN									
121, 151									
	4	4	X	465	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001260
	2	9	X	465	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001930
VERMEER									
403 F & 403 G									
	6	4	X	358	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001030
403 F & 403 G (W/ WIDE BELT KIT)									
	2	4	X	358	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001030
	2	9	X	358	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001850
503 I									
	4	6	X	428	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001540
504 C									
	8	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
504 C (W/ WIDE BELT KIT)									
	4	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
	2	9	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001870
504 F, 504 G, 504 H									
	8	4	X	436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001180
504 F, 504 G, 504 H (W/ WIDE BELT KIT)									
	4	4	X	436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001180
	2	9	X	436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001910
10" wide option		10	X	436	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002120
504 I (OLDER MODEL)									
	6	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
Netwrap Belts	6	2	X	112	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001016
504 I (OLDER MODEL W/ WIDE BELT KIT)									
	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	2	14	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002421

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER (CONTINUED)									
504 IS (SILAGE)									
	6	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
504 SUPER I, 504 I SILAGE									
	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	2	14	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002421
504 L									
	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	2	14	X	424	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002415
Netwrap Belts	6	2	X	112	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001016
504 M CLASSIC (S/N 0108 - 0403)									
	3	6.8	X	409	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002805-ARJ
	3	6.8	X	419	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002806-ARJ
504 M CLASSIC (S/N 0404 AND ABOVE)									
	3	6.8	X	427	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002808-ARJ
	3	6.8	X	437	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002811-ARJ
504 M									
	3	6.8	X	442	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002813-ARJ
	3	6.8	X	451	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002814-ARJ
504 N									
	3	6.8	X	431	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002810-ARJ
	3	6.8	X	441	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002812-ARJ
504 R CLASSIC									
	2	6.8	X	455.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002815-ARJ
	3	6.8	X	465.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002816-ARJ
504 R SIGNATURE									
	3	6.8	X	455.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002815-ARJ
	3	6.8	X	465.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002816-ARJ
504 R PREMIUM									
	3	6.8	X	455.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™ HD	P515	Alligator® Rivet	21002566-ARJ
	3	6.8	X	465.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™ HD	P515	Alligator® Rivet	21002567-ARJ
505 I (OLDER MODEL)									
	8	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
Netwrap Belts	6	2	X	112	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001016
505 I (OLDER MODEL W/ WIDE BELT KIT)									
	4	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	2	14	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002421
505 SUPER I									
	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	3	14	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002421
505 L									
Middle Outside	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	1	14	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002421
	2	14	X	424	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002415
Netwrap Belts	6	2	X	112	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001016

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER (CONTINUED)									
505 M CLASSIC (S/N 0109 - 0428)									
	4	6.8	X	409	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002805-ARJ
	4	6.8	X	419	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002806-ARJ
505 M CLASSIC (S/N 0429 - AND ABOVE)									
	4	6.8	X	427	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002808-ARJ
	4	6.8	X	437	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002811-ARJ
REBEL® 5400									
	2	6	X	424	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001526
	2	14	X	424	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002415
REBEL® 5410 (S/N UP TO 1135)									
	3	6	X	409	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002801-ARJ
	3	6	X	419	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002802-ARJ
		6	X	409	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002801
		6	X	419	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002802
REBEL® 5410 (S/N 1136 AND ABOVE)									
	3	6	X	427	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002803-ARJ
	3	6	X	437	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002804-ARJ
		6	X	427	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002803
		6	X	437	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002804
REBEL® 5420									
	2	6.8	X	429	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002809-ARJ
	3	6.8	X	441	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002812-ARJ
554XL, 554XL SILAGE									
	2	6	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001560
	2	14	X	450	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002417
Netwrap Belts	6	2	X	124.5	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001018
554XL (W/WIDE PICKUP)									
	2	6	X	440	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001549
	2	14	X	440	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002429
555 XL									
Middle Outside	2	6	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001560
	1	14	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002423
	2	14	X	450	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002417
Netwrap Belts	6	2	X	124.5	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001018
REBEL® 5500									
Middle Outside	2	6	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001560
	1	14	X	450	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002423
	2	14	X	450	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002417
REBEL® 5520									
	3	6.8	X	429	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002809-ARJ
	4	6.8	X	441	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002812-ARJ
604 J & 604 SUPER J									
	6	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER (CONTINUED)									
604 J & 604 SUPER J (WIDE BELT KIT)									
	2	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740
	2	14	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002424
604 K**, 604 Lt†, 604 XL††									
Outside	2	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740
	2	14	X	528	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002424
**Netwrap Belts	6	2	X	122	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001017
††Netwrap Belts	6	2	X	138	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001019
604 M (S/N 0297 - 0521)									
	3	6.8	X	522	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002572-ARJ
	3	6.8	X	533	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002574-ARJ
		6.8	X	522	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002819-ARJ
		6.8	X	533	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002820-ARJ
604 SUPER M, 604 N									
	3	6.8	X	533	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002574-ARJ
	3	6.8	X	540	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002576-ARJ
604 R CLASSIC, 604 R SIGNATURE, 604 R PREMIUM									
	3	6.8	X	557	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002581-ARJ
	3	6.8	X	563.5	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002582-ARJ
605 A									
	9	4	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001070
605 A (W/ WIDE BELT KIT)									
	5	4	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001070
	2	10	X	400	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001990
Platform Belt	1	60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002480-CLP
		60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
605 B									
	9	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
605 B (W/ WIDE BELT KIT)									
	5	4	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001050
	2	10	X	388	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001975
	1	60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002480-CLP
		60	X	120	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
605 C									
	9	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
605 C (W/ WIDE BELT KIT)									
	5	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200
	2	10	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002140
605 D									
	9	4	X	450	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001220
605 D (W/ WIDE BELT KIT)									
	5	4	X	450	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001220
	2	10	X	450	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002160
605 E (ORIGINAL)									
	9	4	X	457	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001250

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#	
VERMEER (CONTINUED)										
605 E (W/ WIDE BELT KIT)										
	5	4	X	457	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001250	
	2	10	X	457	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002180	
605 E (MODIFICATION)										
	9	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200	
605 E (MODIFICATION W/ WIDE BELT KIT)										
	5	4	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001200	
	2	10	X	440	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002140	
605 F, 605 G, 605 H										
	6	4	X	512	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001350	
	2	10	X	513	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002285	
9" wide option	5	9	X	513	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001955	
605 J & 605 SUPER J										
	8	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740	
605 J & 605 SUPER J (WIDE BELT KIT)										
	2	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740	
	3	14	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002424	
605 K**, 605 L††, 605 XL††										
Middle Outside	2	6.5	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001740	
	1	14	X	528	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002424	
	2	14	X	528	3-Ply Impression Covers Notched	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21002435	
**Netwrap Belts	6	2	X	122	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001017	
††Netwrap Belts	6	2	X	138	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001019	
605 M										
	4	6.8	X	522	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002572-ARJ	
	4	6.8	X	533	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002574-ARJ	
		6.8	X	522	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002819-ARJ	
		6.8	X	533	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002820-ARJ	
605 SUPER M, CORN STALK SPECIAL, 605 N										
	4	6.8	X	533	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002574-ARJ	
	4	6.8	X	540	3-Ply Heavy-Duty FastStart™ MRT	CobraFlex™ HD	P515	Alligator® Rivet	21002576-ARJ	
664 RANCHER, 6640 RANCHER										
	3	6.8	X	482	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002817-ARJ	
	3	6.8	X	492	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002818-ARJ	
665 RANCHER, 6650 RANCHER										
	4	6.8	X	482	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002817-ARJ	
	4	6.8	X	492	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Alligator® Rivet	21002818-ARJ	
706 A										
	11	4	X	493	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001330	
706 A (W/ WIDE BELT KIT)										
	7	4	X	493	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001330	
	2	10	X	493	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002260	
	Platform Belt	1	72	X	144	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002510-CLP
			72	X	144	2-Ply Bottom Cover V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002510-RS125

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

Make & Model	No. Belts	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER (CONTINUED)									
706 C									
	11	4	X	541	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001370
706 C (W/ WIDE BELT KIT)									
	7	4	X	541	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001370
	2	10	X	541	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002300

VICON (PORTAGE)									
260									
Top Bottom	30	7	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001754
	6	7	X	104.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001770
		7	X	64.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002665
		7	X	104.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002666
560									
Top Bottom	25	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
1200									
Top Bottom	4	4	X	465	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001260
	2	9	X	465	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21001930
RP1210 (OLDER MODEL)									
Top Bottom	45	4.75	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001390
	6	7	X	104.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001770
		4.75	X	64.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21001423
		7	X	104.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002666
RP1210 (NEWER MODEL)									
Top Bottom	30	7	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001754
	6	7	X	104.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001770
		7	X	64.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002665
		7	X	104.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002666
RP1211									
Top Bottom	30	7	X	64.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001754
	6	7	X	96.5	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001755
		7	X	64.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002665
		7	X	96.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002660
RP1510 (OLDER MODEL)									
Top Bottom	55	4.75	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	21003525
	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		4.75	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#4-1/2-4 RHTX Clipper®	21001425
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BALER BELTS

Make & Model	No. Belts	Width (In) X Length(In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VICON (PORTAGE) (CONTINUED)									
RP1510 (NEWER MODEL)									
Top	25	11	X	73.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100965
Bottom	5	11	X	121.25	2-Ply Impression (w/ Cleanout Cleats)	AG Belt™	TEB	Truly Endless Belt	52100960
		11	X	73.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
		11	X	121.25	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002364
RP1511 (PRE 1994)									
Top	25	11	X	75.3	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002308
Bottom	5	11	X	111.7	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002342
RP1511 (1994 +)									
Top	25	11	X	73.5	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002306
Bottom	5	11	X	111.7	3-Ply Impression Covers	CobraFlex™	P345	#3-4-1/2 Round Clipper®	21002342
		11	X	73.5	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2 RHTX Clipper	21002305
		11	X	111.7	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2 RHTX Clipper	21002362
RV157									
Front	6	6.3	X	194	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21002800-MATO
Rear	6	6.3	X	260	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-12	21002785-MATO
		6.3	X	194	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002800
		6.3	X	260	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002785
RV186, RV187									
Front	6	6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-17	21002790-MATO
Rear	6	6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-17	21002775-MATO
		6.3	X	211.4	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002790
		6.3	X	306.3	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2-4 RHTX Clipper®	21002775
RV1501									
	5	8.46	X	403.54	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato H/U24BS-17	21002681-MATO
		8.46	X	403.54	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-17	21002690-MATO
		8.46	X	403.54	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2 RHTX Clipper®	21002690
RV1601									
	5	8.46	X	421.26	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato H/U24BS-17	21002686-MATO
		8.46	X	421.26	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-17	21002685-MATO
		8.46	X	421.26	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2 RHTX Clipper®	21002685
RV1901									
	5	8.46	X	472.44	3-Ply GripSurface™ Covers	CobraFlex™	P360	Mato H/U24BS-17	21002687-MATO
		8.46	X	472.44	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	Mato H/U24BS-17	21002675-MATO
		8.46	X	472.44	3-Ply FastStart™ Mini Roughtop	CobraFlex™	P310	#4-1/2 RHTX Clipper®	21002675

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

BULK BALER BELT ROLLS

Belt Spec	Belt Brand	Belt Code	Standard Widths (In)	Standard Lengths (ft.)	Part#
3-Ply Impression Covers	AG Belt™ CobraFlex™	P345	2, 4, 5.5, 6, 6.5, 7, 9, 10, 11, 12, 13, 14	180*, 210† 360, 620	20029175
3-Ply GripSurface™ Covers	AG Belt™ CobraFlex™	P360	4, 6.3, 7, 8.46, 8.5, 8.66, 10.8, 11.2, 11.25	360, 620	20029184
3-Ply FastStart™ Mini Roughtop	AG Belt™ CobraFlex™	P310	4, 4.8, 5.3, 6, 6.5, 6.8, 7, 9, 10, 11, 12	360, 540	20029101
3-Ply Continuous Chevron	AG Belt™ CobraFlex™	P110	4, 5.3, 6, 6.5, 7	360, 620	20029177
3-Ply Diamond Top	AG Belt™ CobraFlex™	P121	7	360, 540	20029165
3-Ply FastStart™ MRT HD	AG Belt™ CobraFlex™ HD	P515	6.8, 7	360, 540	20029188
3-Ply Diamond Top HD	AG Belt™ CobraFlex™ HD	P521	7	360, 540	20029183

*14" width only
† 2" width only

BULK BALER BELT POLICY

Standard Lengths	Non-Standard Lengths
- Bulk baler belting is available in standard lengths of half rolls and full rolls. - Half roll lengths are 360 feet - Full roll lengths vary based on belt spec and buyer agrees to accept a length variance of minus 0 feet up to plus 5% of full roll standard length and to be charged accordingly	- Non-standard belt lengths will be subject to belt cut fees depending on belt width and length. - Belts less than 10" wide and less than 100 feet long will incur a \$25 cut fee - Belts 10" wide or wider or 100 feet long or longer will incur a \$65 cut fee - For short lengths of belt, see our Belt Repair Sections for 6 foot and 20 foot repair sections.

AG Belt Bulk Baler Belt Storage Recommendations:

- Always store belts indoors and out of the elements
- When possible, try to store belts off the ground by using pallets or other means
- If stored on the ground, do not store with the slit edges down. Belts stored on their edges can wick moisture, even when stored inside and on concrete
- For long term storage, do not expose belts to heat, sunlight, moisture, oil or oil-based chemicals, corrosive chemicals, or high humidity
- For best results, store in a dry, climate-controlled environment



Failure to follow these recommendations could result in damage to the product and nullify product warranty.

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



BELT REPAIR SECTIONS

6-FT REPAIR SECTIONS			20-FT REPAIR SECTIONS	
BELT CODE/WIDTH (IN)	DESCRIPTION	PART#	DESCRIPTION	PART#
P345 - Impression Covers				
4"	4" X 6' 3-PLY IMP P345	21351120	4" X 20' 3-PLY IMP P345	21351121
6"	6" X 6' 3-PLY IMP P345	21351124	6" X 20' 3-PLY IMP P345	21351125
6.5"	6.5" X 6' 3-PLY IMP P345	21351138	6.5"X20' 3-PLY IMP P345	21351139
9"	9" X 6' 3-PLY IMP P345	21351142	9" X 20' 3-PLY IMP P345	21351143
10"	10" X 6' 3-PLY IMP P345	21351146	10" X 20' 3-PLY IMP P345	21351147
14"	14" X 6' 3-PLY IMP P345	21351150	14" X 20' 3-PLY IMP P345	21351151
P360 – GripSurface™ Covers				
6.3"	6.3" X 6' 3-PLY GS P360	21351000	6.3" X 20' 3-PLY GS P360	21351008
7"	7" X 6' 3-PLY GS P360	21351001	7" X 20' 3-PLY GS P360	21351009
8.46"	8.46" X 6' 3-PLY GS P360	21351002	8.46" X 20' 3-PLY GS P360	21351010
8.5"	8.5" X 6' 3-PLY GS P360	21351003	8.5" X 20' 3-PLY GS P360	21351011
8.66"	8.66" X 6' 3-PLY GS P360	21351004	8.66" X 20' 3-PLY GS P360	21351012
10.8"	10.8" X 6' 3-PLY GS P360	21351005	10.8" X 20' 3-PLY GS P360	21351013
11.22"	11.22" X 6' 3-PLY GS P360	21351006	11.22" X 20' 3-PLY GS P360	21351014
11.25"	11.25" X 6' 3-PLY GS P360	21351007	11.25" X 20' 3-PLY GS P360	21351015
P310 - FastStart™ Mini Roughtop				
4.8"	4.8" X 6' 3-PLY MRT P310	21360018	4.8" X 20' 3-PLY MRT P310	21360019
5.3"	5.3" X 6' 3-PLY MRT P310	21351090	5.3" X 20' 3-PLY MRT P310	21351091
6.8"	6.8" X 6' 3-PLY MRT P310	21351099	6.8" X 20' 3-PLY MRT P310	21351098
7"	7" X 6' 3-PLY MRT P310	21351096	7" X 20' 3-PLY MRT P310	21351097
P110 – Continuous Chevron				
4"	4" X 6' 3-PLY CHEVRON P110	21001476	4" X 20' 3-PLY CHEVRON P110	21001477
5.3"	5.3" X 6' 3-PLY CHEVRON P110	21001478	5.3" X 20' 3-PLY CHEVRON P110	21001479
6"	6" X 6' 3-PLY CHEVRON P110	21001482	6" X 20' 3-PLY CHEVRON P110	21001483
6.5"	6.5" X 6' 3-PLY CHEVRON P110	21001484	6.5" X 20' 3-PLY CHEVRON P110	21001485
7"	7" X 6' 3-PLY CHEVRON P110	21001486	7" X 20' 3-PLY CHEVRON P110	21001487
P121 – Diamond Top X Smooth				
7"	7" X 6' 3-PLY DT P121	21351447	7" X 20' 3-PLY DT P121	21351448
P515 – Heavy-Duty FastStart™ Mini Roughtop				
6.8"	6.8" X 6' 3-PLY MRT HD P515	21351502	6.8" X 20'3-PLY MRT HD P515	21351503
7"	7" X 6' 3-PLY MRT HD P515	21351512	7" X 20' 3-PLY MRT HD P515	21351513
P521 – Heavy-Duty Diamond Top X Smooth				
7"	7" X 6' 3-PLY DT HD P521	21351427	7" X 20' 3-PLY DT HD P521	21351428

STARTER FLAPS

Make & Model	Width (In) X Length (In)	3-Ply Impression Covers	3-Ply FastStart™ Mini Roughtop
CASE-IH			
8450, 8455	3.5 X 46.22	23501325	23501125-C
8460, 8465	3.5 X 61.18	23501335	23501124-C
8435, RS451	3.5 X 43.31	23501320	23501127-C
RS551, RS561	3.5 X 58.5	23501330	23501126-C
CHALLENGER			
RB44, RB45, RB46	3.5 X 43.31	23501320	23501127-C
HESSTON			
550, 555	3.5 X 46.22	23501325	23501125-C
560, 565	3.5 X 61.18	23501335	23501124-C
845, 846, 945, 946	3.5 X 43.31	23501320	23501127-C
855, 856, 955, 956	3.5 X 58.5	23501330	23501126-C
MASSEY FERGUSON			
1440, 1450, 1455	3 X 43.63	23501305	23501123-C
1550, 1560, 1565	3 X 58.63	23501310	23501122-C
NEW IDEA			
4664	3.5 X 46.22	23501325	23501125-C
4665	3.5 X 61.18	23501335	23501124-C
6345, 6364, 6445, 6464	3.5 X 43.31	23501320	23501127-C
6365, 6465	3.5 X 58.5	23501330	23501126-C
VERMEER			
403F, 403G	3 X 32.63	23501300	23501128-C
504F, 504G, 504H	3 X 43.63	23501305	23501123-C
605F, 605G, 605H	3 X 58.63	23501310	23501122-C



All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



	Represents OEM or equivalent specification
	Represents commonly used alternative specification

PLATFORM BELT ASSEMBLIES

Make & Model	Belt Qty.	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
CASE-IH (No V-Guide)									
241, 2400									
	1	60	X	120	2-Ply without V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002490-CLP
		60	X	120	2-Ply without V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002490-RS125
FORD/NEW HOLLAND									
551 (OLDER MODEL)									
	1	44.25	X	69.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002450-CLP
		44.25	X	69.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002450-RS125
551 (NEWER MODEL)									
	1	44.25	X	55.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002440-RS125
552									
	1	60	X	96	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002475-CLP
		60	X	96	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002475-RS125
GEHL									
1400 (OLDER MODEL)									
	1	44.25	X	69.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002450-CLP
		44.25	X	69.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002450-RS125
1400 (NEWER MODEL), 1450, 1460, 1465									
	1	44.25	X	55.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002440-CLP
		44.25	X	55.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002440-RS125
1500,1500A,1600									
	1	60	X	96	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002475-CLP
		60	X	96	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002475-RS125
1850, 1860									
	1	60	X	56.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002460-CLP
		60	X	56.5	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002460-RS125
HESSTON									
5600									
	1	60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002480-CLP
		60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
JOHN DEERE									
410									
	5	8	X	74	3-Ply Impression Covers	AG Belt™	TEB	Truly Endless Belt	52101500
		8	X	74	3-Ply Impression Covers	CobraFlex™	P345	Mato H/U24BS-16	21001841
500									
	1	60	X	138	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper®	21002500-CLP
		60	X	138	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002500-RS125
510									
	7	8	X	74	3-Ply Impression Covers	AG Belt™	TEB	Truly Endless Belt	52101500
		8	X	74	3-Ply Impression Covers	CobraFlex™	P345	Mato H/U24BS-16	21001841

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

PLATFORM BELT ASSEMBLIES

Make & Model	Belt Qty.	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER									
605A									
	1	60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper	21002480-CLP
		60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
605B									
	1	60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper	21002480-CLP
		60	X	120	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002480-RS125
706A									
	1	72	X	144	2-Ply w/ Center V-Guide	AG Belt™	BC2	#3 Round HT Clipper	21002510-CLP †
		72	X	144	2-Ply w/ Center V-Guide	AG Belt™	BC2	Alligator® RS125 SS	21002510-RS125 †

NET WRAP BELTS

Make & Model	Belt Qty.	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
VERMEER									
504I (OLDER MODEL), 504 SUPER I, 504I SILAGE, 505I (OLDER MODEL), 504L, 505L									
	4	2	X	112	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001016
604J, 604 SUPER J, 604K, 605K									
	6	2	X	122	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001017
554XL, 554XL SILAGE, 555XL									
	6	2	X	124.5	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001018
604L, 604XL, 605L, 605XL									
	6	2	X	138	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001019
	3	4	x	138	3-Ply Impression Covers	CobraFlex™	P345	#3 Round HT Clipper®	21001014

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



COTTON HARVESTING
REPLACEMENT BELTS FOR JOHN DEERE COTTON PICKER



Cotton Feeder Belt - Replaces John Deere Part # AN405636


Make & Model	Belt Qty.	Width (In) X Length (In)			Belt Type	Fastener Type	Part#
CS690, CP690, 7760	1	91	X	137.8	Green PVC Ridgetop	U2 Unibar Hooks	21000120*
	1	91	X	137.8	Green PVC Ridgetop w/ V-Guides	U2 Unibar Hooks	21000122*



DESCRIPTION	Card Size	# Cards/Box	# Hooks/Cards	Item Code	Part#
Unibar U2 Stainless Steel Hooks	12" strips	12 strips/box	84 hooks/strip	18400	25091435*
Unibar U2 Stainless Steel Hooks	24" strips	10 strips/box	162 hooks/strip	18477	25091510*

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification



Bale Module Forming Bels	
REPLACES JOHN DEERE PART#	AG BELT PART#
AN373217	21003600
AN373216	21003601
AN375051	21350420
AN375050	21350480



Make & Model	Belt Qty.	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fastener Type	Part#
CS690, CP690, 7760	5	7	X	711.9	3-Ply Smooth Cotton	CobraFlex™	P571	Mato® U/H24BS-14	21003600
	6	8.7	X	717.9	3-Ply Smooth Cotton	CobraFlex™	P571	Mato® U/H24BS-17	21003601
Repair Sections	5	7	X	72	3-Ply Smooth Cotton	CobraFlex™	P571	Not included	21003602
	6	8.7	X	72	3-Ply Smooth Cotton	CobraFlex™	P571	Not included	21003603

Make & Model	Width (In)	Description	Belt Brand	Belt Code	Standard Roll Lengths	Part#
Bulk Belt	7	3-Ply Smooth Cotton	CobraFlex™	P571	325' & 650'	20029187-7
	8.7	3-Ply Smooth Cotton	CobraFlex™	P571	375' & 650'	20029187-8.7

MATO U20/H20 CORRUGATED CONNECTING PINS			
DESCRIPTION	BELT WIDTH	PACKAGE CONTENTS	PART#
T2F 165 mm Mato Pin (Used with 14 Segment Strips)	7"	5 Pins	25200125
T2F 200 mm Mato Pin (Used with 17 Segment Strips)	8.7"	6 Pins	25200126

FASTENERS		
DESCRIPTION	BELT WIDTH	PART#
MATO U24BS 14 Segment 5 Splices	7"	25200127
MATO U24BS 17 Segment 6 Splices	8.7"	25200128
MATO H24BS 14 Segment 5 Splices	7"	25200129
MATO H24BS 17 Segment 6 Splices	8.7"	25200130

Note: U24 fasteners can only be installed using U20 installation tools. H24 fasteners can be installed using U20 or H20 installation tools.

INSTALLATION TOOLS	
DESCRIPTION	PART#
Profi 19 Cotton Belt Vise Lacer	25200102*
Profi 19 Cotton Rivet Flattening Bar	25200101*
U20 Profi 19 Cotton Pro Kit	25200024*
Includes: Profi 19 Cotton Belt Vise Lacer, Cotton Rivet Flattening Bar, Mato Pneumatic Hammer & Punch, U24BS14B U Series Fasteners (16 Strips/8 Pins), Belt Marker Pen M-4, Safety Glasses	

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item




BALE THROWER BELTS

Make & Model	Width (in) X Length (in)			Description	Part#
AGCO - 7105, 7100, 7115, 7120	12	X	64.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350879
Allis Chalmers - 301, 41	11.5	X	50.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350874
Case-IH Balers - SBX520, SBX530, SBX540	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
Case-IH Throwers - BTX11	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
Challenger Balers - SB34, SB36	12	X	64.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350879
Ford	12	X	52.25	2-Ply Diamond Top w/ Clipper [®] RHTX	21350876
Hesston Balers - 4500, 4550, 4570, 4590, 4600, 5490	12	X	64.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350879
Massey Ferguson Balers - 1835, 1837, 1839	12	X	64.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350879
Massey Ferguson Throwers - 22, 222	12	X	64.5	2-Ply Diamond Top w/ Clipper [®] RHTX	21350879
New Holland Balers - 65, 67, 68, S67, S68, S69, 268, 269, 270, 271, 272, 273, 275, 276, 277, 278, 280, 281, 282, 283, 310, 311, 315, 316, 320, 326, 1280, 1281	12	X	81	2-Ply Diamond Top w/ Clipper [®] RHTX	21350885
New Holland Balers - 565, 570, 575	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
New Holland Throwers - 49, 50, 51, 51A, 52, 52A, 53, 53A, 53AE, 54, 54A, 58, 61, 62, 70	12	X	81	2-Ply Diamond Top w/ Clipper [®] RHTX	21350885
New Holland Throwers - 72	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
New Idea Balers - 7205, 7210, 7215	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
New Idea Throwers - 22	12	X	72	2-Ply Diamond Top w/ Clipper [®] RHTX	21350882
Welger - 444	11.75	X	82	2-Ply Diamond Top w/ Clipper [®] RHTX	21350875
Bale Thrower Belt – BULK	12	X	-	2-Ply Diamond Top – Up to 600 feet	20022024-12



All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

TUBE CONVEYOR BELTING

Belt	Description	Part #	Belt Code	Belt Information
	2-Ply Continuous Chevron X Bare	20029541	9541	Versatile belting with great flexibility and low temperature rating. Excellent choice for conveying sand, grain, and other bulk materials. Popular for railroad car unloading and tube conveyor applications. Features carbon black on the bare back cover.
	PVC 120 Black Crescent Top	20104327*	4327	Crescent top profiles project from the belt surface to aggressively assist the belt in moving bulk solids. By running the belt in the opposite direction, the crescent shapes can assist in draining liquids from wet products. Crescents overlap to assure smooth, quiet running on return rolls.
	2-Ply 150 Mini-Bite X Bare MOR	20029520*	216	Versatile, light/medium-duty belting for handling bulk materials such as grain, nut hulls, wood products, and wood waste. The 2-Ply 150# belt features moderate oil resistant covers.
	Interwoven 120# PVG Z-Top X Brushed	20104329*	4329	Very sturdy and aggressive, this impression top, incline belt is used in agricultural applications as well as chemical, fertilizer, and industrial applications. The impression is deep enough to increase load capacity up inclines but designed in shapes that allow the belt to run smoothly on the conveyor return rollers.



STAPLE FASTENERS CAN BE FOUND ON PAGE 68

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



AG-BAG SILAGE BAGGER BELTS

Make & Model	Belt Qty.	Width (In) X Length (In)	Belt Type	Replaces OEM Part#	AG Belt Part#
AG-BAG SILAGE BAGGERS					
LLX1212, LX1214, MX1010, MX1012, X1113, X1114, MB10012 HYPAC					
	1	108.5 X 242	3-Ply NEL Feedtable Belt	42.0901539	21000458 †
	1	Accessory Item	Feedtable Front Skirt	42.0800385	Call for details
	2	Accessory Item	Feedtable Side Skirt	42.0800392	Call for details
	1	Accessory Item	UHMW Front Skirt Support	42.0800373	Call for details
MB901011					
	1	95.5 X 242	3-Ply NEL Feedtable Belt	42.1500028	21000461 †
G6999, MB7010 HYPAC					
	1	88.75 X 242	3-Ply NEL Feedtable Belt	42.0901537	21000459 †
AG-BAG SILAGE BAGGER (MISC.)					
	1	96.5 X 242	3-Ply NEL Feedtable Belt	42.0901538	21000462 †
	1	100 X 247	3-Ply NEL Feedtable Belt	42.1500029	21000460 †
	1	100 X 247	3-Ply Laced Feedtable Belt	42.1500029	Call for details
SILO PRESS XP, XP11					
	1	24 X 16	Side Conveyor Belt	1270001	Call for Details
SILO PRESS XP111					
	1	24 X 16	Cleated Side Conveyor Belt	1270004	Call for Details
G6060, G6070, PB6000, G6170					
	1	Accessory Item	Conveyor Feed Skirt	42.6008052	Call for Details



All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

TUB GRINDER BELTS

Make & Model	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
EZ								
	18	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000425*
	18	X	120	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000404*
	18	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000426*
	18	X	120	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000405*
	18	X	540	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000424 †
	18	X	120	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000403 †
FARMHAND								
F-880A, F-880B, F-890B, XG-30								
	18	X	399	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000410*
	18	X	399	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000411*
	18	X	399	2-Ply Cleated	AG Belt™	BC2F	RS125 Staple	21000409 †
F-891A, XG40								
	18	X	495	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000416*
	18	X	294	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000407*
	18	X	495	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000417*
	18	X	294	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000408*
	18	X	495	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000415 †
	18	X	294	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000406 †
F-900, F900A								
	18	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000425*
	18	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000426*
	18	X	540	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000424 †
F-900B, XG50								
	18	X	584	2-Ply Diamond Top	ContiTech	G431	RS125 Staple	21000428*
	18	X	584	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000429*
	18	X	584	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000427 †
XG50 UNDER MILL BELT								
	20	X	110	2-Ply Mini-Bite w/ V-Guide	AG Belt™	BC216F	RS125 Staple	Special Order
	20	X	110	2-Ply 1" Cleat w/ V-Guide (B)	AG Belt™	BC2F	RS125 Staple	Special Order
910, 1010								
	24	X	584	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000450*
	24	X	584	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000451*
	24	X	584	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000449 †
6650, F-892A								
	22	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000446*
	22	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000447*
	22	X	540	2-Ply 1- 1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000445 †

Always measure tub grinder conveyor belt length before ordering. Many tub grinders have special order conveyor lengths. Don't see your belt? Call us with your make, model, and belt dimensions for a quote.

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



TUB GRINDER BELTS

Make & Model	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
FARMHAND CONTINUED								
6650 BOTTOM								
	24	X	97	2-Ply Mini-Bite w/ V-Guide (B)	AG Belt™	BC216F	RS125 Staple	Special Order
	24	X	97	2-Ply 1" Cleat w/ V-Guide (B)	AG Belt™	BC2F	RS125 Staple	Special Order
HG4050								
Bottom	22	X	534	2-Ply Diamond Top	ContiTech	G431	RS125 Staple	21000444*
	29.5	X	229	2-Ply Diamond Top	ContiTech	G431	RS125 Staple	21000455*
HAYBUSTER								
H-900, H-1000, C9, C10								
	16	X	472	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000401*
	16	X	472	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000402*
	16	X	472	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000400 †
H-1000, H-1000 SERIES II (LATE MODELS)								
	18	X	472	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000413*
	18	X	472	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000414*
	18	X	472	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000412 †
H1100, C-11-C								
	18	X	522	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000419*
	18	X	522	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000420*
	18	X	522	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000418 †
C-11-C EARLY BOTTOM								
	24	X	216	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000448 †
C-11-C LATE BOTTOM								
	30	X	216	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000456 †
H1100 LATE, H1100 TILT								
Bottom	18	X	528	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000422*
	18	X	528	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000423*
	18	X	528	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000421 †
	30	X	216	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000456 †
H-1100E SERIES II								
22 Foot Discharge	18	X	528	2-Ply Diamond Top X Bare	Chemprene	BC4314	RS125 Staple	21000422*
	18	X	528	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000423*
	18	X	528	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000421†
26 Foot Discharge	18	X	624	2-Ply Diamond Top X Bare	Chemprene	BC4314	RS125 Staple	21000465*
	18	X	624	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000467*
	18	X	624	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000465*
Bottom	30	X	216	2-Ply Diamond Top X Bare	Chemprene	BC4314	RS187 Staple	21000457*
	30	X	216	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS187 Staple	21000456†

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

Make & Model	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#
INTERNATIONAL HARVESTER								
	18	X	399	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000410*
	18	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000425*
	18	X	399	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000411*
	18	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000426*
	18	X	399	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000409 †
	18	X	540	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000424 †
JONES/MIGHTY GIANT								
	20	X	696	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000440*
	24	X	690	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000453*
	20	X	696	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000441*
	24	X	690	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000454*
	20	X	696	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000439 †
	24	X	690	2-Ply 3/4" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000452 †
NEW HOLLAND								
390, 391, 393								
	18	X	399	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000410*
	18	X	399	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000411*
	18	X	399	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000409 †
395								
	18	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000425*
	18	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000426*
	18	X	540	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000424 †
396								
	18	X	584	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000428*
	18	X	584	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000429*
	18	X	584	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000427*
OSWALT								
Bottom	18	X	540	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000425*
	18	X	120	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000404*
Bottom	18	X	540	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000426*
	18	X	120	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000405*
Bottom	18	X	540	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000424 †
	18	X	120	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000403 †
TUBMASTER								
	21	X	535	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000442*
	21	X	535	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000443*

Always measure tub grinder conveyor belt length before ordering. Many tub grinders have special order conveyor lengths. Don't see your belt? Call us with your make, model, and belt dimensions for a quote.

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



	Represents OEM or equivalent specification
	Represents commonly used alternative specification

TUB GRINDER BELTS

Make & Model	Width (In) X Length (In)			Belt Type	Belt Brand	Belt Code	Fasteners	Part#	
WHO									
	Top	20	X	634	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000437*
	Bottom	20	X	262	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000431*
	Top	20	X	634	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000438*
	Bottom	20	X	262	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000432*
	Top	20	X	634	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000436 †
	Bottom	20	X	262	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000430 †
PP 56 ELEVATOR									
		20	X	626	2-Ply Diamond Top X Bare	AG Belt™	BC4314	RS125 Staple	21000434*
		20	X	626	2-Ply Mini-Bite X Bare MOR	AG Belt™	BC216	RS125 Staple	21000435*
		20	X	626	2-Ply 1-1/2" Recessed Cleats	AG Belt™	BC2F	RS125 Staple	21000433 †

COMBINE PICKUP BELTS

Make & Model		Width (In)		X	Description	Fasteners	Part#
AGRI-STEEL							
3062A		22	X	51	2-Ply Pickup Belt with (42) Holes	Clipper® U3-2 Unibar® Hooks	61750182 †
CASE-IH							
403, 503, 1015		21.75	X	60.12	2-Ply Pickup Belt with (51) Holes	Clipper® U3-2 Unibar® Hooks	61750180 †
810, 820, 914		21.75	X	56.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750181 †
2015-16							
	Front	18.75	X	57.75	2-Ply Cleated Pickup Belt with (42) Holes	Nut & Bolt	21000271 †
	Rear	18.75	X	57.75	2-Ply Cleated Pickup Belt	Nut & Bolt	21000272 †
JOHN DEERE							
66, 88		22	X	51	2-Ply Pickup Belt with (42) Holes	Clipper® U3-2 Unibar® Hooks	61750182 †
110, 132, 212, 214		22	X	66.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750183 †
MELROE							
350, 351, 378, 388							
	Front	17.75	X	45	2-Ply Pickup Belt with (36) Holes	Clipper® U3-2 Unibar® Hooks	61750184 †
RENN							
990, 992, 144, 0913		22	X	66.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750183 †

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

	Represents OEM or equivalent specification
	Represents commonly used alternative specification

COMBINE PICKUP BELTS

Make & Model		Width (In) X Length (In)		Description	Fasteners	Part#	
AGRI-STEEL							
3062A		22	X	51	2-Ply Pickup Belt with (42) Holes	Clipper® U3-2 Unibar® Hooks	61750182 †
CASE-IH							
403, 503, 1015		21.75	X	60.12	2-Ply Pickup Belt with (51) Holes	Clipper® U3-2 Unibar® Hooks	61750180 †
810, 820, 914		21.75	X	56.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750181 †
2015-16							
	Front	18.75	X	57.75	2-Ply Cleated Pickup Belt with (42) Holes	Nut & Bolt	21000271 †
	Rear	18.75	X	57.75	2-Ply Cleated Pickup Belt	Nut & Bolt	21000272 †
JOHN DEERE							
66, 88		22	X	51	2-Ply Pickup Belt with (42) Holes	Clipper® U3-2 Unibar® Hooks	61750182 †
110, 132, 212, 214		22	X	66.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750183 †
MELROE							
350, 351, 378, 388							
	Front	17.75	X	45	2-Ply Pickup Belt with (36) Holes	Clipper® U3-2 Unibar® Hooks	61750184 †
RENN							
990, 992, 144, 0913		22	X	66.75	2-Ply Pickup Belt with (56) Holes	Clipper® U3-2 Unibar® Hooks	61750183 †

PICKUP TEETH & HARDWARE

Type	Description	IUM	Part#
HARDWARE ONLY	10 - PUT Elevator Bolts & Lock Nuts	Package	26000200
	36 - PUT Elevator Bolts & Lock Nuts	Package	26000201
	42 - PUT Elevator Bolts & Lock Nuts	Package	26000202
	51 - PUT Elevator Bolts & Lock Nuts	Package	26000203
	60 - PUT Elevator Bolts & Lock Nuts	Package	26000204
TEETH ONLY	10 PK - Double Prong Teeth	Box	26000205
	36 PK - Double Prong Teeth	Box	26000206
	42 PK - Double Prong Teeth	Box	26000207
	51 PK - Double Prong Teeth	Box	26000208
	60 PK - Double Prong Teeth	Box	26000209
TEETH & HARDWARE	10 PK - Double Prong Teeth & Hardware	Box	26000210
	36 PK - Double Prong Teeth & Hardware	Box	26000211
	42 PK - Double Prong Teeth & Hardware	Box	26000212
	51 PK - Double Prong Teeth & Hardware	Box	26000213
	60 PK - Double Prong Teeth & Hardware	Box	26000214
BULK QTY	DT-875 Double Prong Tooth Flex NYL 6-6	Each	52101495



All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



GENERAL AG BELTING

Spec#	Description	OAG		Weight (PIW)	Min Pulley	Fasteners	Part#	
1	2-PLY 150# 1/32 X BARE BACK GRADE 2 Standard grade rubber covers resist abrasion and weathering in non-oily applications. Used as an economical, general purpose belt and is popular in many agricultural applications, including potato conveying and transport on slider beds.	5/32"	0.156"	0.075	4"	#2 Clipper® #15 Alligator® RS125 Staple	20027202*	
21	2-PLY 150# 1/32 X BARE BACK Moderate Oil Resistance Popular choice for conveyors requiring small pulleys and low capacity. Often used in moderately oily applications such as agriculture and wood waste.	9/64"	0.141"	0.075	4"	#2 Clipper® #15 Alligator® RS125 Staple	20027200*	
2	2-PLY 150# 1/32 X 1/32 GRADE 2 Standard grade rubber covers for light-duty unit and bulk handling applications. Popular fabricated belting for transporting potatoes, wood products and light bulk materials.	13/64"	0.203"	0.085	4"	#3 Clipper® #25 Alligator® RS187 Staple	20027301*	
3	2-PLY 150# 1/8 X 1/32 GRADE 2 Popular and versatile choice for small capacity conveyors. Durable covers and flexible carcass allow belt to wrap small pulley diameters.	1/4"	0.250"	0.138	8"	#140 Solid Plate #375 Bolt On R2 Rivet	20000010*	
8	2-PLY 220# 1/8 X 1/16 GRADE 2 Popular and versatile belt for medium-duty applications. Grade 2 covers provide excellent abrasion resistance and durability.	5/16"	0.312"	0.167	10"	#140 Solid Plate #550 Bolt On R5 Rivet	20013600*	
9	2-PLY 220# 3/16 X 1/16 GRADE 2 One of the most popular belts in today's marketplace. Widely used to handle aggregate and other abrasive materials. 3/16" top cover offers durability and long belt life.	11/32"	0.344"	0.195	12"	#140 Solid Plate #550 Bolt On R5 Rivet	20017500*	

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item



Spec#	Description	OAG		Weight (PIW)	Min Pulley	Fasteners	Part#	
11	3-PLY 330# 3/16 X 1/16 GRADE 2 Very popular belt used extensively to transport rock, sand and gravel. Offers tough polyester/nylon carcass and abrasion resistant Grade 2 covers for needed durability.	13/32"	0.406"	0.205	16"	#190 Solid Plate #550 Bolt On R5-1/2 Rivet	20023005*	
4301	2-PLY 150# POLYESTER BLACK SBR ROUGHTOP X BARE BACK Popular standard roughtop belt that can be used as pulley lagging. Features a deep, nonskid hemp impression roughtop surface that enables products to be conveyed on inclines and declines. Popular for strip lagging pulleys.	9/32"	0.281"	0.11	2"	UX1 Clipper® #7 Alligator® RS125 Staple	20104301*	
23A	2-PLY 220# 1/16 X 1/16 STATIC CONDUCTIVE OIL RESISTANT FIRE RETARDANT GRAIN Special compounds in this belt make it an excellent choice for handling grain and other applications requiring resistance to mineral, animal or vegetable fats. It is also static conductive and MSHA approved for use on grain conveyors and in grain elevators where static charges must be held to minimums. Belt is flame retardant.	15/64"	0.234"	0.160	12"*	RS187 Staple #140 Solid Plate #375 Bolt On R5 Rivet	20021628*	
25A	3-PLY 330# 1/16 X 1/16 STATIC CONDUCTIVE OIL RESISTANT FIRE RETARDANT GRAIN Special compounds in this belt make it an excellent choice for handling grain and other applications requiring resistance to mineral, animal or vegetable fats. It is also static conductive for use on grain conveyors and in grain elevators where static charges must be held to minimums. Belt is flame retardant.	17/64"	0.2656"	0.130	16"***	#140 Solid Plate #550 Bolt On R5 Rivet	20021630*	

*14" Elevator
**18" Elevator

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item




GENERAL AG BELTING

Spec#	Description	OAG		Weight (PIW)	Min Pulley	Fasteners	Part#	
26C	2-PLY 220# 1/8 X BARE BACK MODERATE OIL RESISTANCE Very versatile belt used extensively in recycling applications to withstand the effects of light oils, chemicals and greases. Stocked in a variety of widths up to 84 inches.	1/4"	0.250"	0.150	10"	RS187 Staple #140 Solid Plate #375 Bolt On R2 Rivet	20029690*	
4327	INTERWOVEN 120# POLYESTER BLACK PVC CRESCENT TOP X BRUSHED Crescent top profiles project from the belt surface to aggressively assist the belt in moving bulk solids. By running the belt in opposite direction, the crescent shapes can assist in draining liquids from wet products. Crescents overlap to assure a smooth, quiet running on return rolls.	1/4"	0.250"	0.089	2"	UX1 Clipper [®] #27 Alligator [®] RS187 Staple	20104327*	
4324	INTERWOVEN 120# POLYESTER BLACK PVC CHEVRON TOP X BRUSHED The herringbone pattern of alternating rows of solid PVC chevron profiles form a cover capable of moving free flowing bulk solids. Materials such as grains, food stuffs, feeds and fertilizers can be carried up steep inclines. The chevron shape assists in draining liquids from wet products.	1/4"	0.250"	0.08	3"	UX1 Clipper [®] #15 Alligator [®] RS125 Staple	20104324*	
9541	2-PLY CONTINUOUS CHEVRON X BARE Versatile belting with great flexibility and low temperature rating. Excellent choice for conveying sand, grain, and other bulk materials. Popular for railroad car unloading and tube conveyor applications. Features carbon black on the bare back cover.	9/32"	.280	0.115	3"	#2 Clipper [®] , #20 Alligator [®] , RS125 Staple	20029541	
216	2-PLY 150# 1/16 MINI-BITE X BARE BACK MODERATE OIL RESISTANCE Versatile light/medium-duty belting for handling bulk materials such as grain, nut hulls, wood products and wood waste. Features moderately oil resistant covers.	3/8"	0.375"	0.13	4"	#2 Clipper [®] #20 Alligator [®] RS125 Staple	20029520*	

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item

GENERAL AG BELTING

Spec#	Description	OAG		Weight (PIW)	Min Pulley	Fasteners	Part#	
4329	INTERWOVEN 120# POLYESTER BLACK PVG Z-TOP X BRUSHED Very sturdy and aggressive, impression top incline belt used in agricultural applications as well as chemical, fertilizer and industrial applications. The impression is deep enough to increase load capacity up inclines, but designed in shapes that allow the belt to run smoothly on the conveyor return rollers.	1/4"	0.250"	0.09	3"	UX1 Clipper [®] #15 Alligator [®] RS125 Staple	20104329*	
4314	2-PLY 150# POLYESTER BLACK SBR SIPED DIAMOND TOP X BARE BACK Sometimes referred to as “wedgегrip”, our non-marking diamond shaped profiled design has high coefficient of friction for exceptional gripping capabilities. Popular for cases, parcels and bagged goods. It is also used for aftermarket belts for the U.S. post office.	9/32"	0.281"	0.09	3"	U2 Clipper [®] #15 Alligator [®] RS125 Staple	20104314*	

All laced baler belts include connecting pins and are ready to install.
† Denotes Fabrication Lead Times May Apply
* Denotes Non-Stock Item





FASTENER SYSTEMS & MAINTENANCE

AG Belt gives dealers one-stop access to fasteners and tools to help them install and maintain belts quickly and easily. We are also their source for connecting cables, hinge pins, lacing kits, fastener installation tools, and much more. AG Belt is an official distributor of Flexco®, Clipper®, Titan, and Mato® fastener systems.





ROUND WIRE HOOKS

Clipper[®] products have been widely used for quick, economical, and long-lasting splices for round hay baler belts for many years. The Clipper system has been specifically developed for the demanding requirements of this application, and offers a variety of equipment to simplify installation and extend splice life.

#3-4-1/2 ROUND GALVANIZED STEEL HOOKS (feature a smaller reachback generally used with small diameter rollers often found on older balers)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#3-4-1/2 Round Galvanized Steel Hooks	4" cards	72 cards/box	26 hooks/card	01617	No	25044826
	4" cards	80 cards/box	24 hooks/card	01449	No	25048552
	6.5" cards	4 cards/box	42 hooks/card	01854	Yes	25048609*
	10" cards	10 cards/box	67 hooks/card	02209	No	25048610*
	10" cards	30 cards/box	63 hooks/card	01609	No	25044818
	10" cards	30 cards/box	64 hooks/card	01611	No	25044820
	10" cards	30 cards/box	67 hooks/card	01624	No	25044834
	12" cards	12 cards/box	84 hooks/card	02206	No	25047028

ROUND GALVANIZED HOOKS (feature a 0.54" wire diameter made from abrasion resistant galvanized steel)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#2 Short Point Round Galvanized Hooks	12" cards	12 card/box	84 hooks/card	02168	No	25048524*
#2 Round Galvanized Hooks	12" cards	12 card/box	84 hooks/card	02154	No	25048526*
#3 Round Galvanized Hooks	12" cards	12 card/box	84 hooks/card	02182	No	25048528*
#4 Round Galvanized Hooks	12" cards	12 card/box	84 hooks/card	02216	No	25048530
#4-1/2 Round Galvanized Hooks	12" cards	12 card/box	84 hooks/card	02300	No	25048532

#3 ROUND HIGH TENSILE HOOKS (generally used in higher tension applications)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#3 Round High Tensile Hooks	12" cards	12 cards/box	84 hooks/card	02189	No	25048700

#4-1/2 ROUND HIGH TENSILE HOOKS (generally used in higher tension applications)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#4-1/2 Round High Tensile Hooks	6.5" cards	18 cards/box	42 hooks/card	05004	No	25044880
	12" cards	12 cards/box	84 hooks/card	02307	No	25048531

ROUND STAINLESS STEEL HOOKS (feature a .054" wire diameter made from 430 stainless steel)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#2 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02157	No	25044686*
#2 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02170	No	25044684*
#3 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02185	No	25044688*
#4 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02219	No	25044690*
#4-1/2 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02303	No	25044692*
#5 Stainless Steel Round Hooks	12" cards	12 card/box	84 hooks/card	02326	No	25044694*

* Denotes Non-Stock Item



RECTANGULAR WIRE HOOKS

#4-1/2-3 RECTANGULAR HIGH TENSILE HOOKS (offer the same reachback distance as the #4-1/2 hooks, but feature shorter points for thinner belts)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#4-1/2-3 Rectangle High Tensile Hooks	7" cards	18 cards/box	45 hooks/card	02416	No	25048547
	10" cards	18 cards/box	67 hooks/card	01417	No	25048545
	12" cards	12 cards/box	84 hooks/card	02432	No	25048537*

#4-1/2-4 RECTANGULAR HIGH TENSILE HOOKS (original equipment belt hook for Vermeer: I, J, K, L, XL)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#4-1/2-4 Rectangular High Tensile Hooks	4" cards	66 cards/box	22 hooks/card	02422	No	25044850
	6" cards	36 cards/box	35 hooks/card	01646	No	25044840
	6" cards	36 cards/box	36 hooks/card	02424	No	25044852
	6.5" cards	36 cards/box	40 hooks/card	02425	No	25044853
	6.5" cards	36 cards/box	41 hooks/card	01469	No	25048570
	6.5" cards	36 cards/box	42 hooks/card	02427	No	25044855
	7" Cards	18 cards/box	45 hooks/card	02441	No	25048630
	14" cards	30 cards/box	91 hooks/card	01447	No	25048550
	14" cards	84 cards/box	91 hooks/card	02428	No	25044856

#4-1/2 RECTANGULAR HIGH TENSILE HOOKS (original equipment belt hook for John Deere: 330, 375, 430, 435, 530, 535)						
DESCRIPTION	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
#4-1/2 Rectangular High Tensile Hooks	4" cards	8 cards/box	26 hooks/card	01831	Yes	91001745
	7" cards	4 cards/box	45 hooks/card	01847	Yes	25048602
	7" cards	18 cards/box	45 hooks/card	01669	No	25044804
	6" cards	36 cards/box	36 hooks/card	05429	No	25047076
	9" cards	24 cards/box	58 hooks/card	01600	No	25044808
	12" cards	12 cards/box	84 hooks/card	02429	No	25048533

UNIBAR CLIPPER [®] HOOKS						
LACE SIZE	CARD SIZE	#CARDS/BOX	#HOOKS/CARD	ITEM CODE	CABLE INCLUDED	PART#
Unibar U2 Stainless Steel Hooks	12" strips	12 strips/box	84 hooks/strip	18400	No	25091435*
Unibar U2 Stainless Steel Hooks	24" strips	10 strips/box	162 hooks/strip	18477	No	25091510*
Unibar U4 Coated Steel Hooks	12" cards	12 card/box	84 hooks/card	01279	No	25043015
Unibar U5 Coated Steel Hooks	12" cards	12 card/box	84 hooks/card	01301	No	25043520

CLIPPER[®] FASTENERS

A. Hook legs are parallel.

B. Points slightly penetrate opposite side of belt.

C. 1/3 to 1/2 of wire diameter is embedded into belt.

D. Hook knuckles are not higher than the legs when installed.



E. 1/4" (6.4 mm) on each belt edge is left unlaced.

F. One more hook is installed on the leading end than the trailing end of belt.


G. Trailing end of splice is chamfered/notched.



* Denotes Non-Stock Item

CLIPPER[®] ROUND VS. RECTANGULAR

Clipper[®] 4-1/2 RHTX wire provides 52% more mass than the equivalent standard .054" round wire hooks.



* Denotes Non-Stock Item

54 AGBeltInc.com | Phone 800-383-2469 | Fax 877-287-1415

AGBELT

AGBELT

AGBeltInc.com | Phone 800-383-2469 | Fax 877-287-1415 55



HOOK SELECTION GUIDE

FASTENER AND PIN SIZE SELECTION CHART														
MINIMUM PULLEY DIAMETER	WIRE DIAMETER		BELT THICKNESS											
			UP TO 3/64" .047"	1/16" .063"	3/32" .093"	1/8" .125"	5/32" .156"	3/16" .188"	7/32" .219"	1/4" .250"	9/32" .281"	5/16" .313"	11/32" .343"	25/64" 3.90"
	IN.	MM	1.2 MM	1.6 MM	2.4 MM	3.2 MM	4.0 MM	4.9 MM	5.6 MM	6.4 MM	7.1 MM	7.9 MM	9.0 MM	10.0 MM
15/16"	.025"	0.6	25SP*											
	.025"	0.6	25*											
	.036 X .027"	0.9 X 0.7	UCM36SL XSP											
24 mm	.036 X .027"	0.9 X 0.7		UCM36SL SP										
2"	.036 X .027"	0.9 X 0.7	UCM36 SL XSP											
	.036 X .027"	0.9 X 0.7		UCM36 SP*										
	.036 X .027"	0.9 X 0.7		36 SP*									Carded	
	.040"	1.0		1 XSP*									Unibar [®]	
	.040"	1.0		UX-1 SP*										
	.036 X .027"	0.9 X 0.7		UCM36*										
	.036 X .027"	0.9 X 0.7		36*										
	.040"	1.0		1 SP*										
	.036 X .027"	0.9 X 0.7			UCM36 LP*									
	.040"	1.0			1*									
	.040"	1.0			UX-1*									
	.054"	1.4			U2 SP									
	.054"	1.4			2SP									
	.054"	1.4				U2								
	.054"	1.4				2								
3"	.054"	1.4					3							
76 mm	.054"	1.4					U3							
4"	.054"	1.4						4						
102 mm	.054"	1.4						U4						
	.054"	1.4							4 1/2					
5"	.054"	1.4								5				
127 mm	.054"	1.4								U5				
6"	.054"	1.4									6			
152 mm	.054"	1.4									U6			
7"	.054"	1.4										7		
175 mm	.054"	1.4										U7		

FASTENER MATERIAL CHARACTERISTICS				
METAL	ABRASION RESISTANCE	CHEMICAL RESISTANCE	RUST RESISTANCE	AVAILABLE HOOK SIZES
Galvanized	Good	Poor	Good	25, 1, 2-7
Coated Steel	Good	Poor	Poor	U2-U7
High Tensile Steel	Good to Excellent	Fair	Good	1, 2-7
Rectangular High Tensile Steel	Good to Excellent	Fair	Good	4-1/2
430 Stainless Steel	Good	Fair to Good	Good	1, 2-7, UX1, U2-U7
316L Stainless Steel	Good	Good to Excellent	Excellent	All



PINS AND SMART LOCK™

NYLON-COVERED STAINLESS STEEL - Nylon and 316 stainless steel cable offers good pin wear and hook wear factor properties with excellent flexibility.					
DESCRIPTION	LENGTH	DIAMETER	COLOR	ITEM CODE	PART#
Flexible Nylon Covered SS Cable	60" Piece	.093"	Brown	N/A	25051000
Flexible Nylon Covered SS Cable PinPak™	100' Box	.093"	Brown	02767	25051005
Flexible Nylon Covered SS Cable	1000' Spool	.093"	Brown	02753	25051009

DURALINK™ - Wear-resistant nylon and stainless steel 316 cable offers excellent pin wear and hook wear factor properties with excellent flexibility.					
DESCRIPTION	LENGTH	DIAMETER	COLOR	ITEM CODE	PART#
Duralink™ Cable PinPak™	100' Box	.109"	White	02737	25050689*
Duralink™ Cable PinPak™	100' Box	.093"	White	02743	25050693

NYLOSTEEL - Nylon and music wire offers good pin wear and hook wear factor properties with good flexibility.					
DESCRIPTION	LENGTH	DIAMETER	COLOR	ITEM CODE	PART#
Nylosteel PinPak™	100'	.125"	Blue	02614	25050909
Nylosteel PinPak™	100'	.109"	Blue	02622	25050906
Nylosteel PinPak™	100'	.093"	Blue	02628	25050903

LEADER WIRE AND CABLE ASSEMBLIES - For Bottom Belts & Pickup/Top Belts, a small diameter music wire is swaged onto the connecting pin, forming a leader, for easier installation.			
BOTTOM BELTS		DIAMETER	ITEM CODE
5' leader wire w/5' Stainless Steel Cable Attached		.093"	02702
6' leader wire w/6' Stainless Steel Cable Attached		.093"	02702
PICKUP/TOP BELTS		DIAMETER	ITEM CODE
2' leader wire w/15' Stainless Steel Cable Attached		.093"	05195

PinPak™ contains a 100-foot coil of pin material in a convenient dispensing package.

“J” END PIN

Avoid Pin Migration and Ease Pin Removal: Stripping 1/2" of the nylon coating and forming a “J” on the end of a Nylosteel, Nylostainless, or DuraStainless™ pin allows it to lock in the splice. The “J” end does not allow the pin to spin freely within the splice and focuses the wear on only one side of the pin. To remove, pull the pin until the “J” end is out of the splice, rotate 90° until the smooth side of the pin is against the fastener loops and then pull the pin out.

CLIPPER® SMART LOCK™			
DESCRIPTION	ITEM CODE	PART#	
Smart Lock™ Pack (Qty. 100)	03441	25050702	
Smart Lock™ Kit*	03442	25050700	
*Includes 20 Smart Locks and 5' of Duralink cable.			

* Denotes Non-Stock Item





PINS AND SMART LOCK™

		PIN DIAMETER							
PIN MATERIAL	ITEM CODE	.053" 1.3MM	.054" 1.4MM	.065" 1.7MM	.079" 2.0MM	.093" 2.4MM	.109" 2.8MM	.125" 3.2MM	.156" 4.0MM
Nylosteel	Pin Pak Coll	18700 02594	NA	02598 02597	18720 02595	02628 02627	02622 02621	02614 02613	02607 02606
Nylostainless	Pin Pak Coll	18701 02645	NA	02649 02648	18721 02646	02670 02669	02664 02663	02658 02657	02652 02651
Nylon-Covered SS Cable	Pin Pak Coll	NA	NA	02751 02750	NA	02767 02766	NA	02762 02761	02756 02755
Duralink	Pin Pak Coll	NA	NA	02726 02725	NA	02743 02742	02737 02736	02732 02731	NA
DuraStainless	Pin Pak Coll	NA	NA	02826 02727	NA	02830 02744	02834 02738	NA	NA
Smooth Steel	Pin Pak Coll	NA	NA 02771	NA	NA	NA 02773	NA	NA	NA
Notched Steel	Pin Pak Coll	NA	NA 02775	NA	NA	NA 02777	NA	NA	NA
Smooth SS	Pin Pak Coll	NA	NA 02779	NA	NA	NA 02781	NA	NA	NA
Notched SS	Pin Pak Coll	NA	NA 0278 3	NA	NA	NA 02784	NA	NA	NA
Bare Stainless Cable	Pin Pak Coll	NA	NA	NA 02779	NA	NA 02781	NA	NA	NA
Nylon Plus	Pin Pak Coll	02863 02868	NA	02854 02853	02872 02869	02867 02866	02861 02860	02864 02870	02873 02871

PIN CHARACTERISTICS & MATERIALS							
CONNECTING PIN TYPES	PIN \AKAR FACTOR	HOOK \NEAR FACTOR	RIGIDITY	MAGNETIC	FLEXIBILITY	COMPOSITION	OPERATING TEMPERATURE RANGE (° F)
Nylosteel	Good	Good	Good	Yes	Good	Nylon & music wire	-40 - +250
Nylostainless	Good	Good	Good	Slightly	Good	Nylon & 316 SS wire	-40 - +250
Nylon-Covered Stainless Cable	Good	Good	Fair	Slightly	Excellent	Nylon & 316 SS cable	-40 - +250
Nylon Plus	Good	Excellent	Fair	No	Excellent	Nylon	-40 - +370
Music Wire	Good	Poor	Excellent	Yes	Good	Highc-arbon spring-tempered steel	-40 - +300
Steel	Average	Fair	Excellent	Yes	Fair to Poor	Mild cold-rolled steel	-40 - +300
Stainless Steel	Average	Fair	Excellent	Slightly	Fair to Poor	302 or 316 SS	-40 - +300
Duralink™	Excellent	Excellent	Fair	Slightly	Excellent	Wear-resistant nylon & 316 SS cable	-40 - +250
DuraStainless	Excellent	Excellent	Good	Slightly	Good	Wear-resistant nylon & 316 SS spring wire	-40 - +250
BareStainless Cable	Good	Good	Fair	Slightly	Excellent	316 SS cable	-40 - +300



INSTALLATION TOOLS

The reliable Vise Lacer is the most economical method of installing Clipper® hooks, ideal for users with few belts. Fits in a shop vise. Offers the continuous lacing feature which, with multiple operations, allows the user to lace belts wider than the width of the lacer. Vise Lacers are available for all series of Clipper hook sizes in widths up to 10" (250 mm). Wider belts can be laced in multiple operations with the easy-to-use continuous lacing feature.


VISE LACER	
DESCRIPTION	PART#
R-4 Vise Lacer – 03018	25049500-C
R-7 Vise Lacer – 03019	25049505-C
R-10 Vise Lacer – 03020	25049590-C

VISE LACER REPLACEMENT PARTS	
DESCRIPTION	PART#
R-7 Lacer Pin – 03024	25069764*
R-7 End Spring – 03022	25069763*
R-10 Lacer Pin – 03025	25069767*
R-10 End Spring – 03022	25069763*

BALER BELT LACERS	
DESCRIPTION	PART#
7" Baler Belt Lacer – 03434	25050605*
10" Baler Belt Lacer – 03435	25050606*



14" Microlacer
25050618
This 14" (350 mm) lacer is ideal for users with narrow belts or for low volume users.



FSMAN4-1/2-Micro Hook Retainer
25091925




14" Microlacer Lacer Pin (2-7)
25091945



#12 Speed Lacer Hook Retainer
25050629



10" Baler Belt Lacer-03435
25050606



R-7 Vise Lacer -03019
25049505-C

SPEED LACER	
DESCRIPTION	PART#
#12 Speed Lacer – 03167	25050630*


SPEED LACER REPLACEMENT PARTS	
DESCRIPTION	PART#
#12 Speed Lacer Hook Retainer	25050629
#12 Speed Lacer Pin – 03222	25050628*

MICROLACER®	
DESCRIPTION	PART#
14" Microlacer (hook retainer required) – 03368	25050618*
FSMAN2-Hook Retainer (size 2-4, U2-U3) – 04024	25091943*
FSMAN4-1/2-Hook Retainer (size 4 1/2-7, U4-U7) – 04029	25091925*

MICROLACER® REPLACEMENT PARTS	
DESCRIPTION	PART#
14" Microlacer Lacer Pin (2-7) – 04001	25091945*
Guide Block Replacement Kit (s/n 3,500-50,000)	25050635*
Guide Block Replacement Kit (s/n 50,000 & Greater)	25050651*

Alligator[®] FASTENERS

Alligator[®] Rivet fasteners offer easy installation and low cost without sacrificing reliability and long life. They improve baler performance, bottom-line costs and overall productivity. Fasteners, rivets, and connecting pins are made of strong, abrasion-resistant stainless steel.



ALLIGATOR [®] RIVET FASTENERS: Each package includes fasteners, rivets, and hinge pins for 2 complete belts.				
DESCRIPTION	BELT WIDTH	SPLICES/PKG.	ITEM CODE	PART#
ARJ4/100	4" (100 mm)	2	15000	25085380*
ARJ6/150	6" (150 mm)	2	14983	25085379
ARJ6.8/173	6.8" (173 mm)	2	14979	25085374
ARJ7/175	7" (175 mm)	2	15001	25085381
ARJ10/250	10" (250 mm)	2	15002	25085382
ARJ14/350	14" (350 mm)	2	15003	25085383

EXTRA ALLIGATOR [®] RIVETS				
DESCRIPTION	BELT WIDTH	RIVETS/PKG.	ITEM CODE	PART#
Packaged, Loose Alligator [®] Rivets	NA	15	15011	25085390-C
	NA	500	14972	25039880

ALLIGATOR [®] RIVET FASTENERS: Bulk packs include 6, 8, or 100 complete splices with pins and rivets.				
DESCRIPTION	BELT WIDTH (IN)	SPLICES/PKG.	ITEM CODE	PART#
Alligator [®] Rivet Splices (w/ Rivets and Pins)	6	6	15063	25085378
	6.8	100	14973	25085367
	6.8	8	14975	25085369
	7	100	15040	25085455
	7	8	14970	25085370

Bulk packs include fasteners, rivets, and hinge pins.

REPLACEMENT HINGE PINS FOR ALLIGATOR [®] RIVET FASTENERS				
DESCRIPTION	BELT WIDTH	QTY./PKG.	ITEM CODE	PART#
ARSH Steel Corrugated Hinge Pins	4" (100 mm)	9	14990	25085418*
	6" (150 mm)	8	14991	25085419
	6.8" (173 mm)	8	14985	25085375
	6.8" (173 mm)	100	14976	25085371
	7" (175 mm)	8	14992	25085420
	7" (175 mm)	100	15038	25001908
	10" (250 mm)	4	14993	25085421*
	14" (350 mm)	4	14994	25085422*

* Denotes Non-Stock Item

Alligator[®] TOOLS

Because the splice is the weakest part of any belt, it is important that you use the correct tools and techniques when installing mechanical fasteners. Reduce your downtime by equipping yourself with the right tools for the job.



ART-7 – 7" (175 mm)
Installation Tool
25085386-C

INSTALLATION TOOLS - ART-7 tool installs lace in belt widths up to 7" and ART-14 tool installs lace in belt widths up to 14". Includes basic installation tool only.				
DESCRIPTION	U/M	MFR CODE	ITEM CODE	PART#
7" (175mm) Installation Tool	EA	ART-7	15004	25085386-C
14" (350mm) Installation Tool	EA	ART-14	15005	25085387*

INSTALLATION TOOLS - MART-7 tool installs lace in belt widths up to 7" and MART-14 tool installs lace in belt widths up to 14". Includes basic installation tool, multi-rivet guide block, hand punch, and pneumatic punch. NOTE: When using pneumatic punch, air pressure should not exceed 85 PSI.				
DESCRIPTION	U/M	MFR CODE	ITEM CODE	PART#
7" (175mm) Multiple Rivet Tool	EA	MART-7	15025	25085413
14" (350mm) Installation Tool	EA	MART-14	15026	25085410*

REPLACEMENT PARTS: For Alligator [®] Rivet Installation Tools.				
DESCRIPTION	U/M	QTY.	ITEM CODE	PART#
Cam Lever Spring	EA	1	50015	25085425
Cam Lever Assembly	EA	1	15012	25085424
Guide Block	EA	1	15028	25085431
Air Hammer Punch	EA	1	15027	25085411
Guide Block Screws	Set	2	15030	25085429
Guide Block Posts	Set	2	15031	25085428
Guide Block Felt Washers	Set	2	15035	25085430
Hand Punch	EA	1	15036	25085409
Placement Pins	Set	1	15064	25085434
ART to MART Conversion Kit*	Kit	1 Kit	15043	25085457

*Includes: 1 guide block, 2 guide block posts, 2 guide block screws, and 2 guide block felt washers. 7" tool only.



Guide Block Screws
25085429

* Denotes Non-Stock Item



Guide Block Posts
25085428



MART-7 – 7" (175 mm) Multiple Rivet Tool
25085413




Hand Punch
25085409



Pneumatic Hammer Punch
25085411



Placement Pins
25085434



Cam Lever Assembly
25085424

Alligator[®] TOOL KITS

ALLIGATOR [®] RIVET TOOL BOX KITS	
DESCRIPTION	PART#
Kit# 1 ART-7 Tool Box Kit w/ 6.8" Fasteners-14978	25085373
Includes: Tool Box, Hammer, ART-7 Tool, Hand Skiver, Application Guide, and 4 complete Alligator [®] Rivet splices (6.8").	

Kit# 2 ART-7 Tool Box Kit w/ 7" Fasteners-15006	25085389
Kit# 2 ART-14 Tool Box Kit w/ 14" Fasteners-15015	25085388*
Includes: Tool Box, Hammer, ART-7 Tool (or ART-14 Tool), Hand Skiver, Application Guide, and 4 complete Alligator [®] Rivet splices.	

Kit# 3 MART-7 Tool Box Kit w/ 6.8" Fasteners-15039	25085450
Includes: Tool Box, Hammer, MART-7 Tool with Guide Block, Hand Punch, Pneumatic Punch, Hand Skiver, Application Guide, and 4 complete Alligator [®] Rivet splices.	

Kit# 4 MART-7 Tool Box Kit-15032	25085412
Kit# 4 MART-14 Tool Box Kit-15033	25085414*
Includes: Tool Box, MART-7 Tool (or MART-14 Tool) with Guide Block, Hand Punch, Pneumatic Punch (QTY 2), Pneumatic Hammer, and Application Guide.	

Kit# 5 MART-7 Tool Box Kit w/ 7" Fasteners-15055	25085415
Includes: Tool Box, Hammer, MART-7 Tool with Guide Block, Hand Punch, Pneumatic Punch, Hand Skiver, Application Guide, and 4 complete Alligator [®] Rivet splices.	

COMPARE ALLIGATOR [®] RIVET TOOL BOX KITS					
	KIT# 1	KIT# 2	KIT# 3	KIT# 4	KIT# 5
Tool Box	✓	✓	✓	✓	✓
Installation Tool	ART-7	ART-7 (ART-14)	MART-7	MART-7 (MART-14)	MART-7
Guide Block			✓	✓	✓
Pneumatic Air Hammer				✓	
Pneumatic Punch			✓	✓	✓
1 lb. Hammer	✓	✓	✓		✓
Hand Punch			✓	✓	✓
Hand Skiver	✓	✓	✓		✓
Application Guide	✓	✓	✓	✓	✓
Fasteners	6.8"	7" (14")	6.8"		7"



Kit# 1 or 2



Kit# 3 or 5



Kit# 4

* Denotes Non-Stock Item

mato FASTENERS

High-performance Mato U24 and H24 fasteners have been developed for high wear applications such as spliced belts used in round balers. They are proven to deliver the highest performing splice on the market.


MATO U24 SERIES BELT FASTENERS			
DESCRIPTION	BELT WIDTH (UP TO)	PACKAGE CONTENTS	PART#
5 Splices U24BS 14 Segment	7"	10 Strips & 5 Pins	25200127
8 Splices U24BS 14 Segment	7"	16 Strips & 8 Pins	25200004
100 Strips U24BS 14 Segment	7"	100 Fastener Strips	25200055
5 Splices U24BS 17 Segment	8.75"	10 Strips & 5 Pins	25200007
6 Splices U24BS 17 Segment	8.75"	12 Strips & 6 Pins	25200128
100 Strips U24BS 17 Segment	8.75"	100 Fastener Strips	25200090
4 Splices U24BS 22 Segment	10.76"	8 Strips & 4 Pins	25200059*
40 Strips U24BS 22 Segment	10.76"	40 Fastener Strips	25200058*
4 Splices U24BS 23 Segment	11.2	8 Strips & 4 Pins	25200011*
40 Strips U24BS 23 Segment	11.2	40 Fastener Strips	25200012*

Note: U Series lace must be installed with U20 tools. H Series lace may be installed with either U20 or H20 tools.

MATO H24 SERIES BELT FASTENERS			
DESCRIPTION	BELT WIDTH (UP TO)	PACKAGE CONTENTS	PART#
2 Splices H24BS 14 Segment	7"	4 Strips & 2 Pins	25200056
5 Splices H24BS 14 Segment	7"	10 Strips & 5 Pins	25200129
8 Splices H24BS 14 Segment	7"	16 Strips & 8 Pins	25200003
100 Strips H24BS 14 Segment	7"	100 Fastener Strips	25200052
2 Splices H24BS 17 Segment	8.75"	4 Strips & 2 Pins	25200091
5 Splices H24BS 17 Segment	8.75"	10 Strips & 5 Pins	25200008
6 Splices H24BS 17 Segment	8.75"	12 Strips & 6 Pins	25200130
50 Strips H24BS 17 Segment	8.75"	50 Fastener Strips	25200093*
2 Splices H24BS 22 Segment	10.76"	4 Strips & 2 Pins	25200061
4 Splices H24BS 22 Segment	10.76"	8 Strips & 4 Pins	25200062
40 Strips H24BS 22 Segment	10.76"	40 Fastener Strips	25200094*
2 Splices H24BS 23 Segment	11.2"	4 Strips & 2 Pins	25200079
1 Splice H24BS 32 Segment	15"	4 Strips & 1 Pin*	25200092
40 Strips H24BS 22-Segment	11.2"	40 Fastener Strips	25200016*

Note: U Series lace must be installed with U20 tools. H Series lace may be installed with either U20 or H20 tools.

*Four (4) 17-Segment Strips & one (1) 365 mm Pin.




* Denotes Non-Stock Item



U24



H24



H24

High Performance Fastener H24
(MATO H20 Hammer Lacer is required)

U24

High Performance Fastener U24
(Bench Vice and MATO U20 Vice Lacer are required)

mato CONNECTING PINS

MATO U20/H20 CORRUGATED CONNECTING PINS				
DESCRIPTION	USED WITH	BELT WIDTH (UP TO)	PACKAGE CONTENTS	PART#
T2F 165mm Mato Pin	14 Segment	7"	5 Pins	25200125
T2F 165mm Mato Pin	14 Segment	7"	8 Pins	25200051
T2F 165mm Mato Pin	14 Segment	7"	50 Pins	25200053
T2F 200mm Mato Pin	17 Segment	8.75"	5 Pins	25200085
T2F 200mm Mato Pin	17 Segment	8.75"	6 Pins	25200126
T2F 200mm Mato Pin	17 Segment	8.75"	50 Pins	25200084
T2F 255mm Mato Pin	22 Segment	10.76"	4 Pins	25200067
T2F 255mm Mato Pin	22 Segment	10.76"	50 Pins	25200065*
T2F 265mm Mato Pin	23 Segment	11.22"	4 Pins	25200099
T2F 365mm Mato Pin	32 Segment	15"	3 Pins	25200100*





MATO U20/H20 ARMORED CONNECTING PINS				
DESCRIPTION	USED WITH	BELT WIDTH (UP TO)	PACKAGE CONTENTS	PART#
O2K 165mm Mato Pin	14 Segment	7"	8 Pins	25200095*
O2K 165mm Mato Pin	14 Segment	7"	50 Pins	25200097*
O2K 200mm Mato Pin	17 Segment	8.75"	5 Pins	25200096*
O2K 200mm Mato Pin	17 Segment	8.75"	50 Pins	25200098*
Ferrule Crimping Pliers			EACH	25085359
Pin Ferrules			100 CT	25085358



mato PNEUMATIC HAMMER & PUNCHES

MATO PNEUMATIC HAMMER & PUNCHES		
DESCRIPTION	MFR PART#	PART#
Mato Pneumatic Hammer w/ Punch	41 129 58 06	25200075
Mato Pneumatic Punch (Hex Shank - Intl.)	41 129 58 07	25200069
Mato Pneumatic Punch (Round Shank - U.S.)	41 129 58 02	25200064
Spacer Ring for Pneumatic Punch	44 121 18 20	25200080*

* Denotes Non-Stock Item



Mato Pneumatic Hammer with Punch


mato INSTALLATION TOOLS

Because the splice is the weakest part of any belt, it is important that you use the correct tools and techniques when installing mechanical fasteners. Reduce your downtime by equipping yourself with the right tools for the job.

MATO U20 INSTALLATION TOOLS		
DESCRIPTION	MFR PART#	PART#
Profi 7 U20 Vice Lacer	41 129 58 70	25200045*
Profi 19 U20 Vice Lacer	41 129 58 17	25200040
Profi 19 Cotton Belt Vise Lacer	41 129 64 07	25200102
Profi 25 (275mm) Vice Lacer	41 129 58 49	25200103*
Power-Vice 25 (Hydraulic Installation)	41 129 58 18	25200110*

Wider belts can be installed in multiple steps

MATO U20 REPLACEMENT PARTS		
DESCRIPTION	MFR PART#	PART#
Replacement Guide Pins For 19 Hole Dealer Tool	44 121 18 12	25200041
Profi 19 Rivet Flattening Bar	41 129 80 08	25200121*
Profi 19 Cotton Rivet Flattening Bar	41 129 64 08	25200101*
Profi 25 Rivet Flattening Bar	41 129 80 07	25200104*
Mato U20 Hand Punch	41 129 58 25	25200010




Profi 19 Cotton Belt Vise Lacer 25200102

* Denotes Non-Stock Item



Profi 19 U20 Vice Lacer 25200040




Profi 19 Cotton Rivet Flattening Bar 25200101



Profi 19 Rivet Flattening Bar 25200101

mato INSTALLATION TOOLS



MATO H20 INSTALLATION TOOLS		
DESCRIPTION	MFR PART#	PART#
Eco Installation Unit H20-180/7"	41 129 69 63	25200030
Eco Installation Unit H20 350/14"	41 129 69 64	25200034
Profi Installation Unit H20 180/7"	41 129 69 61	25200032
Profi Installation Unit H20 350/14"	41 129 69 62	25200033


Wider belts can be installed in multiple steps
7" tools will install up to 15 fastener segments at a time
14" tools will install up to 30 fastener segments at a time

MATO H20 REPLACEMENT PARTS		
DESCRIPTION	MFR#	PART#
Guide Block Eco 180-H20	41 129 69 99	25200112*
Guide Block Profi 180-H20	41 129 70 00	25200114*
Guide Block Profi 330-H20	41 129 70 11	25200115*
Hand Punch Eco H20	41 129 69 75	25200111*
Hand Punch Profi H20	41 129 69 74	25200113*



Eco Installation Unit H20 180/7"
25200030

* Denotes Non-Stock Item



Guide Block Eco 180-H20
25200114



Profi Installation Unit H20 350/14"
25200033



Guide Block Profi 330-H20
25200115



mato LACING KITS


MATO LACING KITS			
DESCRIPTION	KIT CONTENTS		PART#
H20 PROFI 180 PRO LACING KIT	Profi Installation Unit H20 180/7", Mato Air Hammer & Punch, Skiver 25, H24BS14B H Series Fasteners (16 Strips & 8 Pins), Mato Belt Edge Chamfer Tool 25, Belt Marker Pen M-4, Safety Glasses		25200070
H20 PROFI 180 LACING KIT	Profi Installation Unit H20 180/7", H24BS14B H Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200071
H20 PROFI 330 PRO LACING KIT	Profi Installation Unit H20 350/14", Mato Air Hammer & Punch, Skiver 25, H24BS14B H Series Fasteners (16 Strips & 8 Pins), Mato Belt Edge Chamfer Tool 25, Belt Marker Pen M-4, Safety Glasses		25200073*
H20 PROFI 330 LACING KIT	Profi Installation Unit H20 350/14", H24BS14B H Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200074*
H20 ECO 180 LACING KIT	Eco Installation Unit H20 180/7", H24BS14B H Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200021
H20 ECO 330 LACING KIT	Eco Installation Unit H20 350/14", H24BS14B H Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200022*
U20 PROFI 19 PRO LACING KIT	Profi 19 U20 Vice Lacer, Mato Air Hammer & Punch, Skiver 25, U24BS14B U Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200023
U20 PROFI 19 COTTON PRO KIT	Profi 19 U20 Cotton Belt Vise Lacer, Cotton Rivet Flattening Bar, Mato Air Hammer & Punch, U24BS14B Fasteners (10 Strips & 5 Pins), U24BS17B Fasteners (12 Strips & 6 Pins), Belt Marker Pen M-4, Safety Glasses		25200024
U20 PROFI 19 LACING KIT	Profi 19 U20 Vice Lacer, U24BS14B U Series Fasteners (16 Strips & 8 Pins), Belt Marker Pen M-4, Safety Glasses		25200025



Hand Punch



Pneumatic Punch



Eco Installation Unit H24 180/7"

* Denotes Non-Stock Item




Mato Pneumatic Hammer with Punch



Corrugated Connecting Pin



H24BS14B H Series Fasteners (16 Strips/8 Pins)



Alligator[®] STAPLE FASTENERS

The Alligator[®] Ready Set[™] Staple Fastener System is ideal for a wide variety of light- and medium-duty fastener applications. The system features one-piece fastener strips with pre-inserted staples that speed installation and keep downtime to a minimum.

Alligator [®] Ready Set [™] Staple Fasteners				
DESCRIPTION	BELT WIDTH (IN)	SETS/BOX	ITEM CODE	PART#
Galvanized Steel 125 Staple w/ Nylon Covered Steel Cable	18"	4	54518	25072100
Galvanized Steel 125 Staple w/ Nylon Covered Steel Cable	36"	4	54522	25072108
Stainless Steel (316) 125 Staple w/ Nylon Covered Stainless Cable	18"	4	54553	25072190
Stainless Steel (316) 125 Staple w/ Nylon Covered Stainless Cable	36"	4	54557	25072198
Galvanized Steel 187 Staple w/ Nylon Covered Steel Cable	18"	4	54590	25072216



Each J-Carton contains 4 Fastener Sets, 4 Hinge Pins, and required amount of Retaining Washers

Other J-Carton sizes and types available upon request

Alligator [®] Ready Set [™] Staple Fasteners Hinge Pins				
DESCRIPTION	LENGTH	PKG..	ITEM CODE	PART#
Nylon Covered Steel Cable (125)	10'	Coils	50661	25011548
Nylon Covered Steel Cable (125)	100'	Coils	50662	25000466
Nylon Covered Stainless Cable (125)	10'	Coils	50665	25011564
Nylon Covered Stainless Cable (125)	100'	Coils	50666	25000468
Nylon Covered Steel Cable (187)	10'	Coils	50669	25011554

Approximate Hinge Pin Diameter = 0.141" (3.6mm)

Hinge Pin Retaining Washers - 316SS			
DESCRIPTION	QTY./PKG.	ITEM CODE	PART#
#125 Retaining Washers	50	50053	25011605
#187 Retaining Washers	50	50075	25011610



Alligator[®] STAPLE FASTENER INSTALLATION TOOLS

ALLIGATOR [®] READY SET [™] STAPLE FASTENER INSTALLATION TOOLS			
DESCRIPTION	MFR PART#	ITEM CODE	PART#
4" Installation Tool	RSC187-4	54627	25091312
6" Installation Tool	RSC187-6	54628	25091314*
12" Installation Tool	RSC187-12	54629	25091316*
24" Installation Tool	RSC187-24	54631	25091318*

For sizes #62, #125, and #187 – includes guide blocks and staple driver.

ALLIGATOR [®] READY SET [™] STAPLE FASTENER INSTALLATION TOOL REPLACEMENT PARTS			
DESCRIPTION	MFR PART#	ITEM CODE	PART#
Ready Set Staple Guide Block (includes Cam Lever Spring)	ST5-5	50016	25091350*
Alligator Quad Staple Driver	ST6-9	50201	25020980*
Staple Setting Plate (12" x 3")	ST-28	50249	25091319*
Hinge Pin Bender	PB1	50077	25091321*

DESCRIPTION	MFR PART#	ITEM CODE	PART#
6" Installation Tool Kit	RSTK4-6	54634	25072135*
12" Installation Tool Kit	RSTK4-12	54635	25072136*


Each kit includes an Installation Tool, Staple Setting Plate, Belt Skiver, Belt Nippers, and a 1 lb Hammer. Packaged in a durable plastic tool box.

DESCRIPTION	MFR PART#	ITEM CODE	PART#
Introductory Kit	RSAS-1	54633	25072140*


Each kit includes: 1 RSC187 Application Tool, 4 Joints, RS125-18 Staple Fasteners, and 6' Nylon-covered Hinge Pin (NC) material




Staple Setting Plate (12" X 3")
25091319




12" Installation Tool
25091316
* Denotes Non-Stock Item



6" Installation Tool
25091314



4" Installation Tool
25091312



Ready Set Staple Guide Block
(includes Cam Lever Spring)
25091350



Alligator Quad Staple Driver
25020980

Compatible with Flexco's Ready Set Staple Fasteners

mato EASYCLIP SYSTEM




INSTALLATION TOOLS*		
DESCRIPTION	MFR PART#	PART#
4" EasyFix Tool EFT-100/4	38 050 05	25200133
8" EasyFix Tool EFT-200/8	38 050 12	25200134*
12" EasyFix Tool EFT-300/12	38 050 29	25200135*
24" EasyFix Tool EFT-600/24	38 050 36	25200136*
40" EasyFix Tool EFT-1000/40	38 050 43	25200137*
48" EasyFix Tool EFT-1200/48	38 050 50	25200138*

EasyFix Tools can install sizes 62, 125, & 187. Features continuous lacing for wider belts.

REPLACEMENT PARTS & ACCESSORIES		
DESCRIPTION	MFR PART#	PART#
Spare Punch for EFT	38 051 42	25200139*
EC Setting Plate	38 051 35	25200140*
Belt Grinder	38 051 11	25200141*
EC Pin Bender	38 051 28	25200142*
EC Pin Cutter	38 051 04	25200143*
Supergrip Skiver	38 050 98	25200147*

SPLICING KITS**		
DESCRIPTION	MFR PART#	PART#
EasyFix Eco Kit EFEK62-G	38 048 00	25200148*
EasyFix Eco Kit EFEK125-G	38 048 17	25200149*
EasyFix Eco Kit EFEK187-G	38 048 24	25200150*
EasyFix Eco Kit EFEK62-SS	38 048 31	25200151*
EasyFix Eco Kit EFEK125-SS	38 048 48	25200152*
EasyFix Eco Kit EFEK187-SS	38 048 55	25200153*

Each kit contains 1 Splice (4 Strips of 12" (300mm), 1 Connecting Pin, Retaining Washers, and 1 Installation Tool



* Denotes Non-Stock Item

BELT CUTTERS




AGBELT COBRACUT™ BALER BELT CUTTERS

The AG Belt™ CobraCut™ Baler Belt Cutter can easily cut baler belts to 9 or 20 inches wide. These cutters are made using high-grade aircraft aluminum to keep the tool lightweight, portable, and very durable. The cam-style cutting mechanism will cut baler belt reliably and with ease. The reversible, aluminum blade-stop anvil ensures a clean cut from a blade that can be sharpened or replaced as needed. The heavy-duty cutting table features a belt fence for squaring your cut and can be mounted on either side of the table for convenience.

AG BELT™ COBRACUT™ 9 SERIES	
DESCRIPTION	PART#
AGB 9" Baler Belt Cutter	25500000
AGB 9" BC Replacement Cutting Blade	25500001
AGB 9" BC Maintenance Kit	25500002
AGB 9" BC Replacement Anvil	25500003

AG BELT™ COBRACUT™ 20 SERIES	
DESCRIPTION	PART#
AGB 20" Baler Belt Cutter	25500020
AGB 20" BC Replacement Cutting Blade	25500021
AGB 20" BC Maintenance Kit	25500022
AGB 20" BC Replacement Anvil	25500023

AG BELT™ COBRACUT™ ACCESSORIES	
DESCRIPTION	PART#
AGB Belt Cutter Stand	25500004*
AGB Honing Stone	25500005
AGB BC Lubricant/Oil	25500006
AGB BC Belt Fence	25500024*




AGB Honing Stone
25500005


* Denotes Non-Stock Item



AGB BC Lubricant/Oil
25500006



9" Baler Belt Cutter
25500000



20" Baler Belt Cutter
25500020



AGB Belt Cutter Stand
25500004



CLIPPER® 14" BELT CUTTER

This heavy-duty, yet portable tool cuts belts up to 14" (350 mm) wide and 3/8" (9.5 mm) thick in one quick, downward motion.

CLIPPER 14" BELT CUTTER	
DESCRIPTION	PART#
14" Belt Cutter – 03230	25069770*
10" Nylon Block – 03010	25069778*
10" Cutter Blade – 03009	25069777
14" Nylon Block – 03451	25069772
14" Cutter Blade – 03450	25069771



Clipper 14" Belt Cutter
25069770

mato MATO TGS 300 PORTABLE BELT CUTTER

The MATO TGS 300 portable belt cutter will cut belts up to 12" (300 mm) wide. The belt is squared and clamped in place for an accurate cut. The belt can then be re-clamped for the skiving operation using a MATO skiver.

MATO TGS 300 PORTABLE BELT CUTTER	
DESCRIPTION	PART#
Mato 12" Portable Belt Cutter TGS	25200072*
Replacement Belt Cutter Blades 5PK	25200066*



Mato 12" Portable Belt
Cutter
25200072

* Denotes Non-Stock Item



FLEXCO[®] FLEXCO[®] BALER BELT SKIVER

Hand skiving baler belts takes time and precision. The Flexco Baler Belt Skiver is a safe and effective tool for quickly and easily skiving baler belts. Simply set the skive height, close the cover, and skive your belt in less than 30 seconds using a cordless drill. With the cover closed, the blade is completely enclosed during the skiving process eliminating the chance for injury while skiving.

FEATURES AND BENEFITS:

- Lightweight extruded aluminum body
- Portable – weighs less than 2 pounds
- Skive in less than 30 seconds
- Can be used on new or worn belts
- For belt widths up to 7.5"
- Adjustable skived belt thickness from 0.200" to 0.250"



Driven with an electric drill or ratchet

FLEXCO BALER BELT SKIVER	
DESCRIPTION	PART#
Baler Belt Skiver (7") – 04989	25069780
Replacement Parts	
Spare Blades (Qty. 5) – 04990	25069781
Spare Shims (Qty. 5) – 04991	25069782
Bench Mount Kit – 04994	25069783
Spindle & (2) Bushings – 04992	25069784*
Blade Holder – 04993	25069785*
Blade Backer – 04998	25069786*

* Denotes Non-Stock Item

mato MATO BELT SKIVER & CHAMFER

One pass with the adjustable Belt Skiver reduces the belt cover leaving 5-6 mm of belt thickness. The adjustable hold-down device allows processing of even worn belts up to a maximum of 10 mm belt thickness.

Mato adjustable belt skiver	
	PART#
Mato Adjustable Belt Skiver	25200259*

MATO BELT SKIVER 18 - 3/4" (18mm) Skive Reachback	
DESCRIPTION	PART#
Belt Skiver 18 (3/4" Skive)	25200015
Spare Skive Blade GH18 5PK	25200063

MATO BELT SKIVER 18R - 3/4" (18mm) Reinforced Skive Reachback	
DESCRIPTION	PART#
Belt Skiver 18R (3/4" Skive)	25200131*
Spare Skive Blade GH18R	25200132*

MATO BELT SKIVER 25R - 1" (25mm) Reinforced Skive Reachback	
DESCRIPTION	PART#
Belt Skiver 25R (1" Skive)	25200081
Spare Skive Blade GH25	25200082

Service Note: Vermeer recommends a 1" skive




Belt Skiver 25R (1" Skive)
25200081

* Denotes Non-Stock Item



Mato Adjustable Skiver
25200259



Belt Skiver 18 (3/4" skive)
25200015



Spare Skive Blade GH25
25200082



ROUGHTOP BELT SKIVER

Durable, portable, and hand-operated. The Roughtop Belt Skiver is an economical choice to quickly and cleanly remove Roughtop from light- and medium-duty conveyor belting, lowering the splice profile for mechanical fasteners.

CLIPPER® ROUGHTOP BELT SKIVER	
DESCRIPTION	PART#
Hand Skiver Tool – 03239	25050705-C



Clipper Hand Skiver Tool
25050705-C



BELT GRINDER

Provides a quick, easy way of removing belt top covers or roughtop prior to attaching mechanical or bondable belt cleats. Cuts rather than burns, which eliminates gummy residue. Can be used in lieu of a skiver to create a lower seat for mechanical belt fasteners.

ALLIGATOR BELT GRINDER	
DESCRIPTION	PART#
Belt Grinding Wheel – 30867	25091545-C



Alligator Belt Grinding Wheel
25091545-C

MATO BELT EDGE CHAMFER TOOL 25

Accurately notches the corners of the belt using guidelines.

MATO BELT EDGE CHAMFER TOOL 25	
DESCRIPTION	PART#
Belt Edge Chamfer Tool 25	25200107



Mato Belt Edge Chamfer Tool 25
25200107



BELT NIPPER

For quick, easy notching of belt ends.

FLEXCO BELT NIPPER	
DESCRIPTION	PART#
Belt Nipper – 50003	25091540*



Flexco Belt Nipper
25091540

* Denotes Non-Stock Item

ACCESSORIES

It takes a lot of moving parts to keep your farm working efficiently. AG Belt has you covered with gathering wheels, pickup teeth, and rubber mounted teeth.



GATHERING WHEELS

AG Belt gathering wheels use a proprietary recipe of natural rubber and SBR that is integrally molded to produce the most durable, high performance gathering wheel available. The fingers on our gathering wheels are long-lasting to assist in gathering wide and windblown windrows. A cleaner field on the first pass means you don't leave money in the field.

24" X 9" REPLACEMENT GATHERING WHEEL (VERMEER)		
MAKE & MODEL		PART#
Vermeer – 504I, 504L, 504SI, 505I, 505L, 505SI, 554XL, 555XL, 604J, 604K, 605J, 605K, 604L, 605L, 605SJ, 604SJ, 604XL, 605XL, 5400 Rebel, 5410 Rebel, 5420 Rebel, 5500 Rebel, 5520 Rebel, 504M Classic, 505M Classic, 664 Rancher, 6640 Rancher, 665 Rancher, 6650 Rancher		52600220



GATHERING WHEELS SEGMENT (3 segments required for entire wheel)	
MAKE & MODEL	PART#
Case-IH – 8455, 8455T 8460, 8465, 8465T	52500205
Hesston – 550, 555, 560, 565, 5540, 5545, 5580, 5585	
John Deere – 330, 335, 375, 385, 430, 435, 446, 447, 448, 449, 456, 457, 458, 459, 466, 467, 468, 468S, 530, 535, 540, 545, 546, 547, 550, 556, 557, 558, 559, 566, 567, 568, 569, 582	



24.4" X 12" GATHERING WHEEL (CNH)	
MAKE & MODEL	PART#
Case-IH – RB455A Utility, R455, RB465, RB565	52100972
New Holland – Roll-Belt 450, Roll-Belt 460, Roll-Belt 550, Roll-Belt 560	




28" X 12" REPLACEMENT GATHERING WHEEL	
MAKE & MODEL	PART#
Case-IH – RB564, RBX552, RBX553, RBX561, RBX562, RBX563	52101410
Gehl – 1450, 1465, 1470, 1475, 1500, 1600, 1850, 1860, 1870, 1875, 2480, 2580, 2680, 2780, 2880	
New Holland – 640, 644, 648, 650, 654, 658, 660, 664, 678, 688, 848, 853, 855, BR740, BR740A, BR770, BR780, BR7060, BR7080, BR7090	
Vermeer – 504F, 504H, 504G, 605F, 605G, 605H	




Gathering wheel recommendations are based on OEM specifications and should be used as a reference only.

Service Note: The AGCO OEM Gathering Wheel on many older model balers is obsolete. Customers with the original equipment hub who need a replacement wheel will need to replace the entire hub assembly. The replacement rubber gathering wheel is not compatible with the original gathering wheel hub.



AFTERMARKET REPLACEMENT HUB ASSEMBLY WITH 24" X 9" GATHERING WHEEL (AGCO)	
MAKE & MODEL	PART#
Case-IH – 8420, 8430, 8450	52100990
Challenger – RB34, RB44	
Hesston – 530, 540, 730, 740, 745, 830, 840, 5530	
Massey Ferguson – 1734, 1744	
New Idea – 4643, 4644, 6343, 6344	
Replacement Hub & Wheel Assemblies are delivered preassembled. Bearings are not included. Works on either side of baler (simply loosen bolts and reverse the hub assembly).	



24" X 9" REPLACEMENT GATHERING WHEEL (AGCO)		
MAKE & MODEL		PART#
Case-IH – 8420, 8430, 8450		52100970
Challenger – RB34, RB44, RB452, RB462, RB562		
Hesston – 530, 540, 740, 745, 5134, 5145, 5146, 5156		
Massey Ferguson – 1560, 1734, 1744, 1745, 1746, 1756		
New Idea – 6243, 6244, 6254		



BLACK TALON[™] RUBBER MOUNTED TEETH

Black Talon Rubber Mounted Teeth use premium natural rubber and are injection molded for a higher standard of quality. Premium bonding agents are used to achieve maximum rubber adhesion, and tines are heat treated for long lasting performance. These teeth are lab tested and OEM approved.

Make & Model	Part#
Vermeer Models: Fits most baler models (Replaces Vermeer OEM Part# 27997-001)	52101480
Massey Ferguson Models: 1440, 1455, 1550, 1565 (Replaces Massey Ferguson OEM Part# 1059176M1)	
Yoke Opening 1-3/8", Bolt Hole Dia. 5/16", Tine Length 7-1/4", Tine Dia. 1/4"	12 Teeth




Make & Model	Part#
Ford Models: 532, 542 (Replaces Ford OEM Part# 7500630)	52101482
Yoke Opening 1-1/8", Bolt Hole Dia. 5/16", Tine Length 7-1/4", Tine Dia. 1/4"	100 Teeth



Make & Model	Part#
Fits most round bar & parallel bar rakes with 1-5/8" bar.	52101483
John Deere Models: 54, 64, 74, 350, 350A, 640, 650, 652, 660, 662, 670, 671, 673, 851, 858A*, 894, 894A*, 896*, 896A. (Replaces John Deere OEM Part# AE24953, AE47389)	
*Not for use on models with vertical mounting studs.	
New Holland Models: 55, 56, 57, 256 (Replaces New Holland OEM Part# 65609, 850612)	
Also fits AC, AGCO, IHC, New Idea, and many other models.	20 Teeth
Yoke Opening 1-11/16", Bolt Hole Dia. 3/8", Tine Length 10", Tine Dia. 9/32"	



Make & Model	Part#
Vermeer Models: R-9, R-21, R-23, R-23A, R-24, R-24A (Replaces Vermeer OEM Part# 2888-001)	52101484
John Deere Models: 700, 705 (Replaces John Deere OEM Part# AE56204)	20 Teeth
Yoke Opening 1-5/8"; Bolt Hole Dia. 3/8"; Tine Length 10"; Tine Dia. 9/32"	



Make & Model	Part#
New Holland Models: 216 & 258 with Left Hand Hook, 259 Rolabar Rake (Replaces New Holland OEM Part# 65668, 850613)	52101485
Allen Models: All Left Hand Rakes	20 Teeth
Yoke Opening 1-55/64", Bolt Hole Dia. 3/8", Tine Length 10", Tine Dia. 9/32"	



Make & Model	Part#
New Holland Models: 216 & 258 with Right Hand Hook, 260 Rolabar Rake. (Replaces New Holland OEM Part# 139041, 850614)	52101486
Allen Models: All Right Hand Rakes.	20 Teeth
Yoke Opening 1-55/64", Bolt Hole Dia. 3/8", Tine Length 10", Tine Dia. 9/32"	



Make & Model	Part#
John Deere Models: 70, 71, 640, 650, 652, 660, 662, 670, 671, 672, 673, 896A (Replaces John Deere OEM Part# AE24953, AE47389)	52101488
Yoke Opening 1-55/64", Bolt Hole Dia. 3/8", Tine Length 10", Tine Dia. 9/32"	20 Teeth



Make & Model	Part#
Fits Wheel Rake Models: Circle C, Darf, Farmland, H & S, Morrill, New Idea, Pequea, and other models (Replaces OEM Part# 2117RH, 400341, 491478)	52101487
Yoke Opening N/A, Bolt Hole Dia. 3/8", Tine Length 7", Tine Dia. 9/32"	50 Teeth




Make & Model	Part#
Heath Models: Most windrower models (Replaces Heath OEM Part# 806-001)	52101481
Yoke Opening 1-1/4", Bolt Hole Dia. 5/16", Tine Length 8", Tine Dia. 1/4"	100 Teeth



Make & Model	Part#
Windrowers - Henry Models: Most windrower models (Replaces Henry OEM Part# H60003)	52101482
Lockwood-Innes Models: Most windrower models (Replaces Lockwood-Innes OEM Part# 504-055)	
Picket Models: Most windrower models prior to 1997 & Four Bar windrower models 1997-current (Replaces Pickett OEM Part# 106000)	
Yoke Opening 1-1/8", Bolt Hole Dia. 5/16", Tine Length 7-1/2", Tine Dia. 1/4"	100 Teeth



Make & Model	Part#
New Holland Hayheads: 345, 366, 350, 355, 346, 365, 990, 340, 356	52101492
New Holland Balers: BB940S, BB960S, BB960AR, BR7070, BB940R, BB960R, 585, BB940P, BB900P, BB940AR, BR7090, BR7060 (Replaces New Holland OEM Part# 9847572)	
Yoke Opening 1-1/8", Bolt Hole Dia. 5/16", Tine Length 7-3/4", Tine Dia. 1/4"	60 Teeth



Make & Model	Part#
Vermeer R28 Rake	52101496
Yoke Height 0.685", Bolt Hole Dia. 0.4", Tine Length 8.96", Tine Dia. 0.283"	



Make & Model	Part#
For most Vermeer Baler Models using #27997061 tooth	52101497
Yoke Height 1.75", Bolt Hole Dia. 0.33", Tine Length 7.26", Tine Dia. 0.343"	



Make & Model	Part#
For most Vermeer Baler Models using #27997051 tooth	52101498
Yoke Height 1.75", Bolt Hole Dia. 0.33", Tine Length 7.26", Tine Dia. 0.344"	





Call or fax us toll-free from the U.S. or Canada
P 800-383-2469 F 877-287-1415

4517 SE 14th Street, Des Moines, IA 50320
P 515-287-2106 F 515-287-1490

AGBeltInc.com    



REV102419 AGB 99002205

The most current version of this information can be found on our website at AGBeltInc.com and
supersedes all other versions. Please check the revision date information of any printed materials
to ensure the most current information is being referenced.
© 2020 Apache Agricultural Group

